

#### INITIAL PRODUCT/PROCESS CHANGE NOTIFICATION Generic Copy

### 08 May 2007

SUBJECT: ON Semiconductor Initial Product/Process Change Notification #16009

TITLE: Initial Notification for Gold wire changing to Copper wire on SOT-23 commodity parts

PROPOSED FIRST SHIP DATE: 08 Sep 2007

AFFECTED CHANGE CATEGORY: ON Semiconductor assembly – wire bond

AFFECTED PRODUCT DIVISION: Discrete Products

FOR ANY QUESTIONS CONCERNING THIS NOTIFICATION: Contact you local ON Semiconductor Sales Office or Terry Galloway<a href="mailto:terry.galloway@onsemi.com">terry.galloway@onsemi.com</a>>

### NOTIFICATION TYPE:

Initial Product/Process Change Notification (IPCN)

First change notification sent to customers. IPCNs are issued at least 120 days prior to implementation of the change. An IPCN is advance notification about an upcoming change and contains general information regarding the change details and devices affected. It also contains the preliminary reliability qualification plan.

The completed qualification and characterization data will be included in the Final Product/Process Change Notification (FPCN).

This IPCN notification will be followed by a Final Product/Process Change Notification (FPCN) at least 60 days prior to implementation of the change.

### **DESCRIPTION AND PURPOSE:**

On Semiconductor is notifying customers of its plan to qualify Copper wire on commodity products of Small Signal PNP transistors, Small Signal NPN Transistors, and switching diodes in the SOT-23 package.

The mold compound, die attach, and lead frame materials used in the SOT-23 package will remain the same. A qualification vehicle has been selected for each of the device functions and full electrical characterization over temperature will be performed on each qualification vehicle to ensure device functionality and electrical specifications are met.

Multiple final PCNs will be published, starting in the end of May of 2007, providing the qualification results and 90 days of notice of effective planned production release dates for specific devices. The final PCNs will list the devices being released and the date code which will contain Copper wire instead of Gold.



Initial Product/Process Change Notification #16009

### **QUALIFICATION PLAN:**

Qualification of each device type to be transferred is being performed to the following requirements:

- 1) Three temperature electrical characterization ( 3 lots, 30 units each at -55C, 25C, and 150C)
- 2) ESD testing (3 lots) Human Body Model, Machine Model

Reliability testing will be performed on qualification vehicles chosen based on die size, voltage rating, and run rates.

### Planned reliability tests are:

#	Test	Name	Test Conditions	End Point Req's	Test Results
					Read Point
1	HTSL	High Temp Storage Life	Ta=150°	c = 0, Room	1008 Hrs.
2	AC-PC	Autoclave-PC	121°C/100% RH/15psig	c = 0, Room	96 Hrs
3	TC -PC	Temperature Cycle-PC	Ta=-65/+150deg.C, Air to air, Dwell = 10 min,	c = 0, Room	1000 Cys
4	H3TRB – PC	High Humidity High Temp Rev Bias + PC	Ta=85°C, 85% RH, 80% rated or 100V max	c = 0, Room	1008 Hrs.
5	IOL-PC	IOL-PC	Ta=+25°C, delta Tj=100°C On/of = 2 min	c = 0, Room	15000 Cys.

### **Electrical Characterization Plan:**

Datasheet specifications and product electrical performance will remain unchanged

Characterization of each qual vehicle device will be performed to the following requirements:

- 1) ESD performance (HBM, MM) on 15 units from 1 lot
- 2) Three temperature characterization on 30 units from 3 lots



Initial Product/Process Change Notification #16009

### **AFFECTED DEVICE LIST:**

PART

BAS16LT1 BAS16LT1G BAS16LT3 BAS16LT3G BAS21LT1 BAS21LT1G BAS21LT3 BAS21LT3G BAS21SLT1G BAV70LT1 BAV70LT1G BAV70LT3 BAV70LT3G BAV99LT1 BAV99LT1G BAV99LT3 BAV99LT3G BAW56LT1 BAW56LT1G BAW56LT3 BAW56LT3G BC807-25LT1 BC807-25LT1G BC807-25LT3 BC807-25LT3G BC807-40LT1 BC807-40LT1G BC807-40LT3 BC807-40LT3G BC817-25LT1 BC817-25LT1G BC817-25LT3 BC817-25LT3G BC817-40LT1 BC817-40LT1G BC817-40LT3 BC817-40LT3G BC846BLT1 BC846BLT1G BC846BLT3 BC846BLT3G BC847BLT1 BC847BLT1G BC847BLT3 BC847BLT3G BC847CLT1 BC847CLT1G BC847CLT3 BC847CLT3G BC848BLT1 BC848BLT1G BC848BLT3



Initial Product/Process Change Notification #16009

BC848BLT3G BC848CLT1 BC848CLT1G BC856BLT1 BC856BLT1G BC856BLT3 BC856BLT3G BC857BLT1 BC857BLT1G BC857BLT3 BC857BLT3G BC858BLT1 BC858BLT1G BC858BLT3 BC858BLT3G BC858CLT1 BC858CLT1G BC858CLT3 BC858CLT3G MMBD6050LT1 MMBD6050LT1G MMBD6050LT3 MMBD6050LT3G MMBD7000LT1 MMBD7000LT1G MMBD7000LT3 MMBD7000LT3G MMBD914LT1 MMBD914LT1G MMBD914LT3 MMBD914LT3G MMBT2222ALT1 MMBT2222ALT1G MMBT2222ALT3 MMBT2222ALT3G MMBT2222LT1 MMBT2222LT1G MMBT2222LT3 MMBT2222LT3G MMBT2907ALT1 MMBT2907ALT1G MMBT2907ALT3 MMBT2907ALT3G MMBT3904LT1 MMBT3904LT1G MMBT3904LT3 MMBT3904LT3G MMBT3906LT1 MMBT3906LT1G MMBT3906LT3 MMBT3906LT3G MMBT4401LT1 MMBT4401LT1G MMBT4401LT3 MMBT4401LT3G MMBT4403LT1



Initial Product/Process Change Notification #16009

MMBT4403LT1G MMBT4403LT3 MMBT4403LT3G MMBT5551LT1 MMBT5551LT1G MMBT5551LT3 MMBT5551LT3G MMBTA06LT1 MMBTA06LT1G MMBTA06LT3 MMBTA06LT3G MMBTA92LT1 MMBTA92LT1G MMBTA92LT3 MMBTA92LT3G BAL99LT1 BAL99LT1G BAS19LT1 BAS19LT1G BAS19LT3 BAS19LT3G BAS20LT1 BAS20LT1G BAV74LT1 BAV74LT1G BAV74LT3 BAV74LT3G BC808-25LT1 BC808-25LT1G BC808-40LT1 BC808-40LT1G BC849BLT1 BC849BLT1G BC849BLT3 BC849BLT3G BC849CLT1 BC849CLT1G BC850BLT1 BC850BLT1G BC850CLT1 BC850CLT1G BC859BLT1 BC859BLT1G BC859BLT3 BC859BLT3G BC859CLT1 BC859CLT1G BCW30LT1 BCW30LT1G BCW32LT1 BCW32LT1G BCW33LT1 BCW33LT1G BCW33LT3 BCW33LT3G BCW66GLT1



Initial Product/Process Change Notification #16009

BCW66GLT1G BCW70LT1 BCW70LT1G BCW72LT1 BCW72LT1G BCX17LT1 BCX17LT1G BCX18LT1 BCX18LT1G BSS64LT1 BSS64LT1G MMBD2835LT1 MMBD2835LT1G MMBD2836LT1 MMBD2836LT1G MMBD2837LT1 MMBD2837LT1G MMBD2838LT1 MMBD2838LT1G MMBD6100LT1 MMBD6100LT1G MMBD6100LT3 MMBD6100LT3G MMBT4126LT1 MMBT4126LT1G MMBT4126LT3G MMBT5550LT1 MMBT5550LT1G MMBT5550LT3G MMBTA05LT1 MMBTA05LT1G MMBTA05LT3 MMBTA05LT3G MMBTA55LT1 MMBTA55LT1G MMBTA55LT3 MMBTA93LT1 MMBTA93LT1G