

# Product News

**OMRON**  
AUTOMATION & SAFETY

NO: LS-074  
DATE: April 2015

PRODUCT: D4GL Safety Door Switch  
TYPE: Discontinuation Notice Update

D4GL Safety Door Switches were Discontinued March 2015;  
Replace with D4SL-N Series



D4GL

D4GL-SK10-LK



D4SL-N

D4SL-NSK10-LK

**Discontinuation date:** March 2015

## Caution on Apply Recommended Replacements

For all models, Dimensions, Wire connection, Mounting dimensions and part of Characteristics and Operation ratings are different.

## Affected Parts

Updated parts are shown in **red**.

| Product discontinuation | Recommended replacement |
|-------------------------|-------------------------|
| D4GL-1AFA-A             | D4SL-N4AFA              |
|                         | D4SL-N4AFA-N            |
| D4GL-1AFA-A4            | D4SL-N4AFA              |
|                         | D4SL-N4AFA-N            |
| D4GL-1AFG-A             | D4SL-N4AFG              |
|                         | D4SL-N4AFG-N            |
| D4GL-1AFG-A4            | D4SL-N4AFG              |
|                         | D4SL-N4AFG-N            |
| D4GL-1BFA-A             | D4SL-N4BFA              |
|                         | D4SL-N4BFA-N            |
| D4GL-1BFA-A4            | D4SL-N4BFA              |
|                         | D4SL-N4BFA-N            |
| D4GL-1BFG-A             | D4SL-N4BFG              |
|                         | D4SL-N4BFG-N            |
| D4GL-1BFG-A4            | D4SL-N4BFG              |
|                         | D4SL-N4BFG-N            |

| <b>Product discontinuation</b> | <b>Recommended replacement</b>  |
|--------------------------------|---------------------------------|
| D4GL-1CFA-A                    | D4SL-N4CFA<br>D4SL-N4CFA-N      |
| D4GL-1CFA-A4                   | D4SL-N4CFA<br>D4SL-N4CFA-N      |
| D4GL-1CFG-A                    | D4SL-N4CFG<br>D4SL-N4CFG-N      |
| D4GL-1CFG-A4                   | D4SL-N4CFG<br>D4SL-N4CFG-N      |
| D4GL-1DFA-A                    | D4SL-N4DFA<br>D4SL-N4DFA-N      |
| D4GL-1DFA-A4                   | D4SL-N4DFA<br>D4SL-N4DFA-N      |
| D4GL-1DFG-A                    | D4SL-N4DFG<br>D4SL-N4DFG-N      |
| D4GL-1DFG-A4                   | D4SL-N4DFG<br>D4SL-N4DFG-N      |
| D4GL-1EFA-A                    | D4SL-N4EFA-D<br>D4SL-N4EFA-DN   |
| D4GL-1EFA-A4                   | D4SL-N4EFA-D4<br>D4SL-N4EFA-D4N |
| D4GL-1EFG-A                    | D4SL-N4EFG-D<br>D4SL-N4EFG-DN   |
| D4GL-1EFG-A4                   | D4SL-N4EFG-D4<br>D4SL-N4EFG-D4N |
| D4GL-1FFA-A                    | D4SL-N4FFA-D<br>D4SL-N4FFA-DN   |
| D4GL-1FFA-A4                   | D4SL-N4FFA-D4<br>D4SL-N4FFA-D4N |
| D4GL-1FFG-A                    | D4SL-N4FFG-D<br>D4SL-N4FFG-DN   |
| D4GL-1FFG-A4                   | D4SL-N4FFG-D4<br>D4SL-N4FFG-D4N |
| D4GL-1GFA-A                    | D4SL-N4GFA-D<br>D4SL-N4GFA-DN   |
| D4GL-1GFA-A4                   | D4SL-N4GFA-D4<br>D4SL-N4GFA-D4N |
| D4GL-1GFG-A                    | D4SL-N4GFG-D<br>D4SL-N4GFG-DN   |
| D4GL-1GFG-A4                   | D4SL-N4GFG-D4<br>D4SL-N4GFG-D4N |
| D4GL-1HFA-A                    | D4SL-N4HFA-D<br>D4SL-N4HFA-DN   |
| D4GL-1HFA-A4                   | D4SL-N4HFA-D4<br>D4SL-N4HFA-D4N |
| D4GL-1HFG-A                    | D4SL-N4HFG-D<br>D4SL-N4HFG-DN   |

| <b>Product discontinuation</b> | <b>Recommended replacement</b> |
|--------------------------------|--------------------------------|
| D4GL-1HFG-A4                   | D4SL-N4HFG-D4                  |
|                                | D4SL-N4HFG-D4N                 |
| D4GL-2AFA-A                    | D4SL-N2AFA                     |
|                                | D4SL-N2AFA-N                   |
| D4GL-2AFA-A4                   | D4SL-N2AFA                     |
|                                | D4SL-N2AFA-N                   |
| D4GL-2AFG-A                    | D4SL-N2AFG                     |
|                                | D4SL-N2AFG-N                   |
| D4GL-2AFG-A4                   | D4SL-N2AFG                     |
|                                | D4SL-N2AFG-N                   |
| D4GL-2BFA-A                    | D4SL-N2BFA                     |
|                                | D4SL-N2BFA-N                   |
| D4GL-2BFA-A4                   | D4SL-N2BFA                     |
|                                | D4SL-N2BFA-N                   |
| D4GL-2BFG-A                    | D4SL-N2BFG                     |
|                                | D4SL-N2BFG-N                   |
| D4GL-2BFG-A4                   | D4SL-N2BFG                     |
|                                | D4SL-N2BFG-N                   |
| D4GL-2CFA-A                    | D4SL-N2CFA                     |
|                                | D4SL-N2CFA-N                   |
| D4GL-2CFA-A4                   | D4SL-N2CFA                     |
|                                | D4SL-N2CFA-N                   |
| D4GL-2CFG-A                    | D4SL-N2CFG                     |
|                                | D4SL-N2CFG-N                   |
| D4GL-2CFG-A4                   | D4SL-N2CFG                     |
|                                | D4SL-N2CFG-N                   |
| D4GL-2DFA-A                    | D4SL-N2DFA                     |
|                                | D4SL-N2DFA-N                   |
| D4GL-2DFA-A4                   | D4SL-N2DFA                     |
|                                | D4SL-N2DFA-N                   |
| D4GL-2DFG-A                    | D4SL-N2DFG                     |
|                                | D4SL-N2DFG-N                   |
| D4GL-2DFG-A4                   | D4SL-N2DFG                     |
|                                | D4SL-N2DFG-N                   |
| D4GL-2EFA-A                    | D4SL-N2EFA-D                   |
|                                | D4SL-N2EFA-DN                  |
| D4GL-2EFA-A4                   | D4SL-N2EFA-D4                  |
|                                | D4SL-N2EFA-D4N                 |
| D4GL-2EFG-A                    | D4SL-N2EFG-D                   |
|                                | D4SL-N2EFG-DN                  |
| D4GL-2EFG-A4                   | D4SL-N2EFG-D4                  |
|                                | D4SL-N2EFG-D4N                 |
| D4GL-2FFA-A                    | D4SL-N2FFA-D                   |
|                                | D4SL-N2FFA-DN                  |

| <b>Product discontinuation</b> | <b>Recommended replacement</b> |
|--------------------------------|--------------------------------|
| D4GL-2FFA-A4                   | D4SL-N2FFA-D4                  |
|                                | D4SL-N2FFA-D4N                 |
| D4GL-2FFG-A                    | D4SL-N2FFG-D                   |
|                                | D4SL-N2FFG-DN                  |
| D4GL-2FFG-A4                   | D4SL-N2FFG-D4                  |
|                                | D4SL-N2FFG-D4N                 |
| D4GL-2GFA-A                    | D4SL-N2GFA-D                   |
|                                | D4SL-N2GFA-DN                  |
| D4GL-2GFA-A4                   | D4SL-N2GFA-D4                  |
|                                | D4SL-N2GFA-D4N                 |
| D4GL-2GFG-A                    | D4SL-N2GFG-D                   |
|                                | D4SL-N2GFG-DN                  |
| D4GL-2GFG-A4                   | D4SL-N2GFG-D4                  |
|                                | D4SL-N2GFG-D4N                 |
| D4GL-2HFA-A                    | D4SL-N2HFA-D                   |
|                                | D4SL-N2HFA-DN                  |
| D4GL-2HFA-A4                   | D4SL-N2HFA-D4                  |
|                                | D4SL-N2HFA-D4N                 |
| D4GL-2HFG-A                    | D4SL-N2HFG-D                   |
|                                | D4SL-N2HFG-DN                  |
| D4GL-2HFG-A4                   | D4SL-N2HFG-D4                  |
|                                | D4SL-N2HFG-D4N                 |
| D4GL-4AFA-A                    | D4SL-N4AFA                     |
|                                | D4SL-N4AFA-N                   |
| D4GL-4AFA-A4                   | D4SL-N4AFA                     |
|                                | D4SL-N4AFA-N                   |
| D4GL-4AFG-A                    | D4SL-N4AFG                     |
|                                | D4SL-N4AFG-N                   |
| D4GL-4AFG-A4                   | D4SL-N4AFG                     |
|                                | D4SL-N4AFG-N                   |
| D4GL-4BFA-A                    | D4SL-N4BFA                     |
|                                | D4SL-N4BFA-N                   |
| D4GL-4BFA-A4                   | D4SL-N4BFA                     |
|                                | D4SL-N4BFA-N                   |
| D4GL-4BFG-A                    | D4SL-N4BFG                     |
|                                | D4SL-N4BFG-N                   |
| D4GL-4BFG-A4                   | D4SL-N4BFG                     |
|                                | D4SL-N4BFG-N                   |
| D4GL-4CFA-A                    | D4SL-N4CFA                     |
|                                | D4SL-N4CFA-N                   |
| D4GL-4CFA-A4                   | D4SL-N4CFA                     |
|                                | D4SL-N4CFA-N                   |
| D4GL-4CFG-A                    | D4SL-N4CFG                     |
|                                | D4SL-N4CFG-N                   |
| D4GL-4CFG-A4                   | D4SL-N4CFG                     |
|                                | D4SL-N4CFG-N                   |

| <b>Product discontinuation</b> | <b>Recommended replacement</b>  |
|--------------------------------|---------------------------------|
| D4GL-4DFA-A                    | D4SL-N4DFA<br>D4SL-N4DFA-N      |
| D4GL-4DFA-A4                   | D4SL-N4DFA<br>D4SL-N4DFA-N      |
| D4GL-4DFG-A                    | D4SL-N4DFG<br>D4SL-N4DFG-N      |
| D4GL-4DFG-A4                   | D4SL-N4DFG<br>D4SL-N4DFG-N      |
| D4GL-4EFA-A                    | D4SL-N4EFA-D<br>D4SL-N4EFA-DN   |
| D4GL-4EFA-A4                   | D4SL-N4EFA-D4<br>D4SL-N4EFA-D4N |
| D4GL-4EFG-A                    | D4SL-N4EFG-D<br>D4SL-N4EFG-DN   |
| D4GL-4EFG-A4                   | D4SL-N4EFG-D4<br>D4SL-N4EFG-D4N |
| D4GL-4FFA-A                    | D4SL-N4FFA-D<br>D4SL-N4FFA-DN   |
| D4GL-4FFA-A4                   | D4SL-N4FFA-D4<br>D4SL-N4FFA-D4N |
| D4GL-4FFG-A                    | D4SL-N4FFG-D<br>D4SL-N4FFG-DN   |
| D4GL-4FFG-A4                   | D4SL-N4FFG-D4<br>D4SL-N4FFG-D4N |
| D4GL-4GFA-A                    | D4SL-N4GFA-D<br>D4SL-N4GFA-DN   |
| D4GL-4GFA-A4                   | D4SL-N4GFA-D4<br>D4SL-N4GFA-D4N |
| D4GL-4GFG-A                    | D4SL-N4GFG-D<br>D4SL-N4GFG-DN   |
| D4GL-4GFG-A4                   | D4SL-N4GFG-D4<br>D4SL-N4GFG-D4N |
| D4GL-4HFA-A                    | D4SL-N4HFA-D<br>D4SL-N4HFA-DN   |
| D4GL-4HFA-A4                   | D4SL-N4HFA-D4<br>D4SL-N4HFA-D4N |
| D4GL-4HFG-A                    | D4SL-N4HFG-D<br>D4SL-N4HFG-DN   |
| D4GL-4HFG-A4                   | D4SL-N4HFG-D4<br>D4SL-N4HFG-D4N |
| D4GL-2ADA-A4                   | D4SL-N2AFA<br>D4SL-N2AFA-N      |
| D4GL-2BDA-A                    | D4SL-N2BFA<br>D4SL-N2BFA-N      |

| <b>Product discontinuation</b> | <b>Recommended replacement</b>  |
|--------------------------------|---------------------------------|
| D4GL-2EDA-A                    | D4SL-N2EDA-D<br>D4SL-N2EDA-DN   |
| D4GL-2EDG-A                    | D4SL-N2EDG-D<br>D4SL-N2EDG-DN   |
| D4GL-2FDA-A                    | D4SL-N2FDA-D<br>D4SL-N2FDA-DN   |
| D4GL-2FDG-A                    | D4SL-N2FDG-D<br>D4SL-N2FDG-DN   |
| D4GL-2GDA-A                    | D4SL-N2GDA-D<br>D4SL-N2GDA-DN   |
| D4GL-2GDG-A                    | D4SL-N2GDG-D<br>D4SL-N2GDG-DN   |
| D4GL-2HDA-A                    | D4SL-N2HDA-D<br>D4SL-N2HDA-DN   |
| D4GL-2HDG-A                    | D4SL-N2HDG-D<br>D4SL-N2HDG-DN   |
| D4GL-4ADA-A                    | D4SL-N4AFA<br>D4SL-N4AFA-N      |
| D4GL-4CDG-A4                   | D4SL-N4CFG<br>D4SL-N4CFG-N      |
| D4GL-4GDG-A4                   | D4SL-N4GDG-D4<br>D4SL-N4GDG-D4N |
| D4GL-2AFA-A-SJ                 | D4SL-N2AFA<br>D4SL-N2AFA-N      |
| D4GL-2AFG-A-SJ                 | D4SL-N2AFG<br>D4SL-N2AFG-N      |
| D4GL-2BFA-A-SJ                 | D4SL-N2BFA<br>D4SL-N2BFA-N      |
| D4GL-2BFG-A-SJ                 | D4SL-N2BFG<br>D4SL-N2BFG-N      |
| D4GL-2CFA-A-SJ                 | D4SL-N2CFA<br>D4SL-N2CFA-N      |
| D4GL-2CFG-A-SJ                 | D4SL-N2CFG<br>D4SL-N2CFG-N      |
| D4GL-2DFA-A-SJ                 | D4SL-N2DFA<br>D4SL-N2DFA-N      |
| D4GL-2DFG-A-SJ                 | D4SL-N2DFG<br>D4SL-N2DFG-N      |
| D4GL-2EFA-A-SJ                 | D4SL-N2EFA-D<br>D4SL-N2EFA-DN   |
| D4GL-2EFG-A-SJ                 | D4SL-N2EFG-D<br>D4SL-N2EFG-DN   |
| D4GL-2FFA-A-SJ                 | D4SL-N2FFA-D<br>D4SL-N2FFA-DN   |
| D4GL-2FFG-A-SJ                 | D4SL-N2FFG-D<br>D4SL-N2FFG-DN   |




| <b>Product discontinuation</b> | <b>Recommended replacement</b> |
|--------------------------------|--------------------------------|
| D4GL-2GFA-A-SJ                 | D4SL-N2GFA-D                   |
|                                | D4SL-N2GFA-DN                  |
| D4GL-2GFG-A-SJ                 | D4SL-N2GFG-D                   |
|                                | D4SL-N2GFG-DN                  |
| D4GL-2HFA-A-SJ                 | D4SL-N2HFA-D                   |
|                                | D4SL-N2HFA-DN                  |
| D4GL-2HFG-A-SJ                 | D4SL-N2HFG-D                   |
|                                | D4SL-N2HFG-DN                  |
| D4GL-4AFA-A-SJ                 | D4SL-N4AFA                     |
|                                | D4SL-N4AFA-N                   |
| D4GL-4AFG-A-SJ                 | D4SL-N4AFG                     |
|                                | D4SL-N4AFG-N                   |
| D4GL-4BFA-A-SJ                 | D4SL-N4BFA                     |
|                                | D4SL-N4BFA-N                   |
| D4GL-4BFG-A-SJ                 | D4SL-N4BFG                     |
|                                | D4SL-N4BFG-N                   |
| D4GL-4CFA-A-SJ                 | D4SL-N4CFA                     |
|                                | D4SL-N4CFA-N                   |
| D4GL-4CFG-A-SJ                 | D4SL-N4CFG                     |
|                                | D4SL-N4CFG-N                   |
| D4GL-4DFA-A-SJ                 | D4SL-N4DFA                     |
|                                | D4SL-N4DFA-N                   |
| D4GL-4DFG-A-SJ                 | D4SL-N4DFG                     |
|                                | D4SL-N4DFG-N                   |
| D4GL-4EFA-A-SJ                 | D4SL-N4EFA-D                   |
|                                | D4SL-N4EFA-DN                  |
| D4GL-4EFG-A-SJ                 | D4SL-N4EFG-D                   |
|                                | D4SL-N4EFG-DN                  |
| D4GL-4FFA-A-SJ                 | D4SL-N4FFA-D                   |
|                                | D4SL-N4FFA-DN                  |
| D4GL-4FFG-A-SJ                 | D4SL-N4FFG-D                   |
|                                | D4SL-N4FFG-DN                  |
| D4GL-4GFA-A-SJ                 | D4SL-N4GFA-D                   |
|                                | D4SL-N4GFA-DN                  |
| D4GL-4GFG-A-SJ                 | D4SL-N4GFG-D                   |
|                                | D4SL-N4GFG-DN                  |
| D4GL-4HFA-A-SJ                 | D4SL-N4HFA-D                   |
|                                | D4SL-N4HFA-DN                  |
| D4GL-4HFG-A-SJ                 | D4SL-N4HFG-D                   |
|                                | D4SL-N4HFG-DN                  |
| <b>D4GL-4AFA-A-NPT</b>         | <b>D4SL-N3AFA</b>              |
|                                | <b>D4SL-N3AFA-N</b>            |
| <b>D4GL-4AFA-A4-NPT</b>        | <b>D4SL-N3AFA</b>              |
|                                | <b>D4SL-N3AFA-N</b>            |

| <b>Product discontinuation</b> | <b>Recommended replacement</b>  |
|--------------------------------|---------------------------------|
| D4GL-4AFG-A-NPT                | D4SL-N3AFG<br>D4SL-N3AFG-N      |
| D4GL-4AFG-A4-NPT               | D4SL-N3AFG<br>D4SL-N3AFG-N      |
| D4GL-4BFA-A-NPT                | D4SL-N3BFA<br>D4SL-N3BFA-N      |
| D4GL-4BFA-A4-NPT               | D4SL-N3BFA<br>D4SL-N3BFA-N      |
| D4GL-4BFG-A-NPT                | D4SL-N3BFG<br>D4SL-N3BFG-N      |
| D4GL-4BFG-A4-NPT               | D4SL-N3BFG<br>D4SL-N3BFG-N      |
| D4GL-4CFA-A-NPT                | D4SL-N3CFA<br>D4SL-N3CFA-N      |
| D4GL-4CFA-A4-NPT               | D4SL-N3CFA<br>D4SL-N3CFA-N      |
| D4GL-4CFG-A-NPT                | D4SL-N3CFG<br>D4SL-N3CFG-N      |
| D4GL-4CFG-A4-NPT               | D4SL-N3CFG<br>D4SL-N3CFG-N      |
| D4GL-4DFA-A-NPT                | D4SL-N3DFA<br>D4SL-N3DFA-N      |
| D4GL-4DFA-A4-NPT               | D4SL-N3DFA<br>D4SL-N3DFA-N      |
| D4GL-4DFG-A-NPT                | D4SL-N3DFG<br>D4SL-N3DFG-N      |
| D4GL-4DFG-A4-NPT               | D4SL-N3DFG<br>D4SL-N3DFG-N      |
| D4GL-4EFA-A-NPT                | D4SL-N3EFA-D<br>D4SL-N3EFA-DN   |
| D4GL-4EFA-A4-NPT               | D4SL-N3EFA-D4<br>D4SL-N3EFA-D4N |
| D4GL-4EFG-A-NPT                | D4SL-N3EFG-D<br>D4SL-N3EFG-DN   |
| D4GL-4EFG-A4-NPT               | D4SL-N3EFG-D4<br>D4SL-N3EFG-D4N |
| D4GL-4FFA-A-NPT                | D4SL-N3FFA-D<br>D4SL-N3FFA-DN   |
| D4GL-4FFA-A4-NPT               | D4SL-N3FFA-D4<br>D4SL-N3FFA-D4N |




| <b>Product discontinuation</b> | <b>Recommended replacement</b> |
|--------------------------------|--------------------------------|
| D4GL-4FFG-A-NPT                | D4SL-N3FFG-D                   |
|                                | D4SL-N3FFG-DN                  |
| D4GL-4FFG-A4-NPT               | D4SL-N3FFG-D4                  |
|                                | D4SL-N3FFG-D4N                 |
| D4GL-4GFA-A-NPT                | D4SL-N3GFA-D                   |
|                                | D4SL-N3GFA-DN                  |
| D4GL-4GFA-A4-NPT               | D4SL-N3GFA-D4                  |
|                                | D4SL-N3GFA-D4N                 |
| D4GL-4GFG-A-NPT                | D4SL-N3GFG-D                   |
|                                | D4SL-N3GFG-DN                  |
| D4GL-4GFG-A4-NPT               | D4SL-N3GFG-D4                  |
|                                | D4SL-N3GFG-D4N                 |
| D4GL-4HFA-A-NPT                | D4SL-N3HFA-D                   |
|                                | D4SL-N3HFA-DM                  |
| D4GL-4HFA-A4-NPT               | D4SL-N3HFA-D4                  |
|                                | D4SL-N3HFA-D4N                 |
| D4GL-4HFG-A-NPT                | D4SL-N3HFG-D                   |
|                                | D4SL-N3HFG-DN                  |
| D4GL-4HFG-A4-NPT               | D4SL-N3HFG-D4                  |
|                                | D4SL-N3HFG-D4N                 |
| D4GL-4GDG-A4-NPT               | D4SL-N3GDG-D4                  |
|                                | D4SL-N3GDG-D4N                 |
| D4GL-SK10-LK                   | D4SL-NSK10-LK                  |
| D4GL-SK10-LKH                  | D4SL-NSK10-LKH                 |
| D4GL-SK10-LK-K                 | D4SL-NSK10-LK-K                |
| D4GL-SK10-LKH-K                | D4SL-NSK10-LKH-K               |

# Detail of Differences




## Wiring Diagrams

| Product discontinuation<br>Model D4GL series   | Recommended replacement<br>Model D4SL-N series  |
|--|---|
| <p><b>Terminal Layout</b></p>  <p>Terminal 42<br/>Terminal 11<br/>Terminal 31/33<br/>Terminal 32/34<br/>Terminal E2 (-)<br/>Terminal 21<br/>Terminal 22<br/>Terminal 51/53<br/>Terminal 52/54<br/>Terminal E1 (+)</p> | <p><b>Terminal Layout</b><br/><b>(In case of 2NC/1NO+2NC/1NO contact type)</b></p>  |
|  | <p><b>Connector type</b></p>  <p>Notched side is No. 1</p>                         |
|  | <p><b>Terminal type</b></p>   |

## Mounting Holes

| Product discontinuation<br>Model D4GL series   | Recommended replacement<br>Model D4SL-N series   |
|--|--|
|  <p>4M5</p> <p>84±0.2</p> <p>30±0.2</p> | <p><b>Front mounting</b></p>  <p>22±0.1</p> <p>Two, M4</p> <p>41.7±0.15</p> <p>4±0.1 dia. 1.5 max.</p> <p><b>Side mounting</b></p>  <p>10±0.1</p> <p>38.7±0.1</p> <p>22±0.1</p> <p>Three, M4</p> <p>41.7±0.15</p> <p>4±0.1 dia. 1.5 max.</p> |


## Dimensions

| Product discontinuation<br>Model D4GL series / D4GL-SK10-LK series   | Recommended replacement<br>Model D4SL-N series / D4SL-NSK10-LK series   |
|--|---|
| <p><b>D4GL series</b></p>  <p>Front view dimensions:</p> <ul style="list-style-type: none"> <li>Width: 47 mm</li> <li>Height: 148 mm (187 mm total)</li> <li>Depth: 38 mm</li> <li>Mounting holes: Four, 5.2-dia.</li> <li>LED indicators: Four, 9.2-dia. spot facings (depth: 10)</li> <li>Release key: One, integrated</li> <li>Cover mounting screw: Two, cap screws</li> <li>Conduit cap: One, integrated</li> </ul> <p>Side view dimensions:</p> <ul style="list-style-type: none"> <li>Width: 40 mm</li> <li>Height: 148 mm (187 mm total)</li> <li>Depth: 23.5 mm</li> <li>Mounting holes: Four, head mounting screws</li> <li>Head cap: One, integrated</li> <li>Operation Key: One, integrated</li> <li>Pre-travel distance: 15.3 mm</li> <li>Conduit cap: One, integrated</li> </ul> | <p><b>D4SL-N series</b></p> <p><b>Connector type</b></p>  <p>Front-side mounting dimensions:</p> <ul style="list-style-type: none"> <li>Width: 39 mm</li> <li>Height: 155 mm (179.5 mm total)</li> <li>Depth: 41.7±0.2 mm</li> <li>Mounting holes: Two, 4.3 dia.</li> <li>Head cap: One, integrated</li> <li>Operation Key: One, integrated</li> <li>Pre-travel distance: 9 mm</li> <li>LED indicators: One, integrated</li> <li>Release key: One, integrated</li> <li>Conduit cap: One, integrated</li> <li>Two, Cover mounting screw</li> </ul> <p>Side mounting dimensions:</p> <ul style="list-style-type: none"> <li>Width: 39 mm</li> <li>Height: 10 mm</li> <li>Depth: 41.7±0.2 mm</li> <li>Mounting holes: Three, 4.3 dia.</li> <li>Head cap: One, integrated</li> <li>Operation Key: One, integrated</li> <li>Pre-travel distance: 9 mm</li> <li>LED indicators: One, integrated</li> <li>Release key: One, integrated</li> <li>Conduit cap: One, integrated</li> <li>Two, Cover mounting screw</li> </ul> <p><b>Terminal type</b></p>  <p>Front-side mounting dimensions:</p> <ul style="list-style-type: none"> <li>Width: 39 mm</li> <li>Height: 179.9 mm (197.5 mm total)</li> <li>Depth: 41.7±0.2 mm</li> <li>Mounting holes: Two, 4.3 dia.</li> <li>Head cap: One, integrated</li> <li>Operation Key: One, integrated</li> <li>Pre-travel distance: 9 mm</li> <li>LED indicators: One, integrated</li> <li>Release key: One, integrated</li> <li>Conduit cap: One, integrated</li> <li>Two, Cover mounting screw</li> </ul> <p>Side mounting dimensions:</p> <ul style="list-style-type: none"> <li>Width: 39 mm</li> <li>Height: 10 mm</li> <li>Depth: 41.7±0.2 mm</li> <li>Mounting holes: Three, 4.3 dia.</li> <li>Head cap: One, integrated</li> <li>Operation Key: One, integrated</li> <li>Pre-travel distance: 9 mm</li> <li>LED indicators: One, integrated</li> <li>Release key: One, integrated</li> <li>Conduit cap: One, integrated</li> <li>Two, Cover mounting screw</li> </ul> |


**Product discontinuation**  
**Model D4GL series / D4GL-SK10-LK series**

**D4GL-SK10-LK series**

Door open




Door closed




**Recommended replacement**  
**Model D4SL-N series / D4SL-NSK10-LK series**

**D4SL-NSK10-LK series**

Door open



Door closed



## Characteristics

| Item                                       | Product discontinuation<br>Model D4GL series  | Recommendable replacement Model<br>D4SL-N series   |
|--|---|--|
| <b>TUV certified ratings</b>               | AC-15<br>Rated operating current (Ie): 0.75A<br>Rated operating voltage (Ue): 240V<br>DC-13<br>Rated operating current (Ie): 0.27A<br>Rated operating voltage (Ue): 250V      | AC-15<br>Rated operating current (Ie):<br>11-42, 21-52, 21-22: 1.5A<br>Other terminals: 1A<br>Rated operating voltage (Ue): 120V<br>DC-13<br>Rated operating current (Ie): 0.22A<br>Rated operating voltage (Ue): 125V |
| <b>UL certified ratings</b>                | AC: C300<br>DC: Q300  | AC: C150<br>DC: R150   |
| <b>Solenoid coil current consumption</b>   | Approx. 200mA   | Power ON<br>6 contact type: Approx. 260mA<br>4 contact/5 contact type: Approx. 200mA<br>Constant<br>Approx. 200mA  |
| <b>Indicator (LED) current consumption</b> | Approx. 3mA   | Approx. 10mA   |
| <b>Electrical durability</b>               | 500,000 operations min.<br>(4mA resistive load at 24VDC)<br>150,000 operations min.<br>(1A resistive load at AC125V, 2 circuits /<br>4mA resistive load at 24VDC, 2 circuits) | 150,000 operations min.<br>(1A resistive load at 125VAC)   |
| <b>Operating speed</b>                     | 0.05 to 0.5 m/s   | 0.05 to 1 m/s  |
| <b>Operating frequency</b>                 | 30 operations/minute max.   | 5 operations/minute max.   |
| <b>Direct opening travel</b>               | 10mm min.   | 15mm min.  |
| <b>Holding force</b>                       | 1,000N min.   | 1,300N min.  |
| <b>Contact resistance</b>                  | 100mΩ max.  | 200mΩ max.   |
| <b>Minimum applicable load</b>             | 4mA resistive load at 24VDC   | 1mA resistive load at 5VDC   |
| <b>Rated insulation voltage (Ui)</b>       | 300V  | 150V   |
| <b>Impulse withstand voltage</b>           | Between terminals of same polarity: 2.5kV<br>Between terminals of different polarity :<br>4kV<br>Between other terminals and<br>non-current carrying metallic parts: 4kV      | Between terminals of same polarity: 1.5kV<br>Between terminals of different polarity :<br>1.5kV<br>Between other terminals and<br>non-current carrying metallic parts: 2.5kV   |
| <b>Vibration resistance (Malfunction)</b>  | 10 to 55Hz, 0.75 mm single amplitude  | 10 to 55Hz, 0.35 mm single amplitude   |
| <b>Shock resistance (Malfunction)</b>      | 300m/s <sup>2</sup> min.  | 80m/s <sup>2</sup> min.  |

## Operation Methods

| Product discontinuation<br>Model D4GL series | Recommended replacement<br>Model D4SL-N series |
|--|--|
| Pre-travel Distance<br>10mm max.             | Pre-travel Distance<br>15mm max.               |
| Movement before being locked<br>4mm min.     | Movement before being locked<br>3mm min.       |

Specifications and prices in this product news are as of the issue date and are subject to change without notice.  
Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.