

Microsemi Corporation

May 2, 2017

Product/Process Change Notification No: PCN17013

Change Classification: Major

Subject

ProASIC*3 and IGLOO* Devices in FG484 and FGG484 Packages Converting from Gold to Gold Flash Palladium Coated Copper (AuPCC) Wire

Description of Change

Qualification of Gold Flash Palladium Coated Copper (AuPCC) wire for ProASIC3 and IGLOO devices in FG484 and FGG484 packages was completed. See Appendix A (see page 3) for the complete list of devices.

Reason for Change

Conversion to AuPCC wire is aligned with the current industry trend. Our assembly vendors have extensive experience in copper bond wire assembly. Copper wire is used in high-volume production by our assembly vendors and it has demonstrated equal electrical and mechanical performance to gold wire. Products assembled with copper bond wire have no changes in their product moisture sensitivity level (MSL), product functionality, performance, quality, or reliability.

Products assembled with copper wire have a different set of materials. This different set of material is more suitable for copper wire. Products assembled with gold wire have no changes to their materials. Contact Microsemi for more details on the materials for copper wire assembly.

Application Impact

There is no impact in the thermal and electrical performance of the devices.

Products Affected by this Change

See Appendix A (see page 3) for the complete list of devices.

Production Shipment Schedule

Microsemi may begin shipping the devices with AuPCC wire beginning July 31, 2017.

Microsemi reserves the right to continue the shipment of devices with Au wire following the change implementation date. Customers may receive a mix of pre-conversion (Au wire) and products with AuPCC wire interchangeably, following the change implementation date.

Qualification Data

The qualification report is available upon request.

Samples Availability

Please contact your local Microsemi representative for information.



Contact Information

If you have further questions related to this topic, contact Microsemi's Technical Support at soc_tech@microsemi.com.

Regards,

Microsemi Corporation

Any projected dates in this PCN are based on the most current product information at the time this PCN is being issued, but they may change due to unforeseen circumstances. For the latest schedule and any other information, please contact your local Microsemi Sales Office, the factory contact shown above, or your local distributor.

This Product/Process Change Notification is confidential and proprietary information of Microsemi and is intended only for distribution by Microsemi to its customers, for customers' use only. It must not be copied or provided to any third party without Microsemi's prior written consent.



Appendix A: Devices to be Converted to AuPCC Wire

List of Affected Devices in ProASIC3 Family				
A3P400-1FG484	A3P600-1FGG484I	A3P600L-FGG484	A3P1000-FG484I	
A3P400-1FG484I	A3P600-2FG484	A3P600L-FGG484I	A3P1000-FG484M	
A3P400-1FGG484	A3P600-2FG484I	A3P1000-1FG484	A3P1000-FGG484	
A3P400-1FGG484I	A3P600-2FGG484	A3P1000-1FG484I	A3P1000-FGG484I	
A3P400-2FG484	A3P600-2FGG484I	A3P1000-1FG484M	A3P1000-FGG484M	
A3P400-2FG484I	A3P600-FG484	A3P1000-1FGG484	A3P1000L-1FG484	
A3P400-2FGG484	A3P600-FG484I	A3P1000-1FGG484I	A3P1000L-1FG484I	
A3P400-2FGG484I	A3P600-FGG484	A3P1000-1FGG484M	A3P1000L-1FGG484	
A3P400-FG484	A3P600-FGG484I	A3P1000-2FG484	A3P1000L-1FGG484I	
A3P400-FG484I	A3P600L-1FG484	A3P1000-2FG484I	A3P1000L-FG484	
A3P400-FGG484	A3P600L-1FG484I	A3P1000-2FG484M	A3P1000L-FG484I	
A3P400-FGG484I	A3P600L-1FGG484	A3P1000-2FGG484	A3P1000L-FGG484	
A3P600-1FG484	A3P600L-1FGG484I	A3P1000-2FGG484I	A3P1000L-FGG484I	
A3P600-1FG484I	A3P600L-FG484	A3P1000-2FGG484M	-	
A3P600-1FGG484	A3P600L-FG484I	A3P1000-FG484	-	

List of Affected Devices in ProASIC3E Family				
A3PE600-1FG484	A3PE600-FGG484M	A3PE1500-FGG484	A3PE3000-FGG484	
A3PE600-1FG484I	A3PE600L-1FG484M	A3PE1500-FGG484I	A3PE3000-FGG484I	
A3PE600-1FG484M	A3PE600L-1FGG484M	A3PE3000-1FG484	A3PE3000-FGG484M	
A3PE600-1FGG484	A3PE600L-FG484M	A3PE3000-1FG484I	A3PE3000L-1FG484	
A3PE600-1FGG484I	A3PE600L-FGG484M	A3PE3000-1FG484M	A3PE3000L-1FG484I	
A3PE600-1FGG484M	A3PE1500-1FG484	A3PE3000-1FGG484	A3PE3000L-1FG484M	
A3PE600-2FG484	A3PE1500-1FG484I	A3PE3000-1FGG484I	A3PE3000L-1FGG484	
A3PE600-2FG484I	A3PE1500-1FGG484	A3PE3000-1FGG484M	A3PE3000L-1FGG484I	
A3PE600-2FGG484	A3PE1500-1FGG484I	A3PE3000-2FG484	A3PE3000L-1FGG484M	
A3PE600-2FGG484I	A3PE1500-2FG484	A3PE3000-2FG484I	A3PE3000L-FG484	
A3PE600-FG484	A3PE1500-2FG484I	A3PE3000-2FGG484	A3PE3000L-FG484I	
A3PE600-FG484I	A3PE1500-2FGG484	A3PE3000-2FGG484I	A3PE3000L-FG484M	
A3PE600-FG484M	A3PE1500-2FGG484I	A3PE3000-FG484	A3PE3000L-FGG484	
A3PE600-FGG484	A3PE1500-FG484	A3PE3000-FG484I	A3PE3000L-FGG484I	
A3PE600-FGG484I	A3PE1500-FG484I	A3PE3000-FG484M	A3PE3000L-FGG484M	

List of Affected Devices in ProASIC3 Family (ARM M1 Enabled)			
M1A3P400-1FG484	M1A3P600-1FG484I	M1A3P600L-1FGG484	M1A3P1000-2FGG484I
M1A3P400-1FG484I	M1A3P600-1FGG484	M1A3P600L-1FGG484I	M1A3P1000-FG484
M1A3P400-1FGG484	M1A3P600-1FGG484I	M1A3P600L-FG484	M1A3P1000-FG484I



M1A3P400-1FGG484I	M1A3P600-2FG484	M1A3P600L-FG484I	M1A3P1000-FGG484
M1A3P400-2FG484	M1A3P600-2FG484I	M1A3P600L-FGG484	M1A3P1000-FGG484I
M1A3P400-2FG484I	M1A3P600-2FGG484	M1A3P600L-FGG484I	M1A3P1000L-1FG484
M1A3P400-2FGG484	M1A3P600-2FGG484I	M1A3P1000-1FG484	M1A3P1000L-1FG484I
M1A3P400-2FGG484I	M1A3P600-FG484	M1A3P1000-1FG484I	M1A3P1000L-1FGG484
M1A3P400-FG484	M1A3P600-FG484I	M1A3P1000-1FGG484	M1A3P1000L-1FGG484I
M1A3P400-FG484I	M1A3P600-FGG484	M1A3P1000-1FGG484I	M1A3P1000L-FG484
M1A3P400-FGG484	M1A3P600-FGG484I	M1A3P1000-2FG484	M1A3P1000L-FG484I
M1A3P400-FGG484I	M1A3P600L-1FG484	M1A3P1000-2FG484I	M1A3P1000L-FGG484
M1A3P600-1FG484	M1A3P600L-1FG484I	M1A3P1000-2FGG484	M1A3P1000L-FGG484I

List of Affected Devices in ProASIC3E Family (ARM M1 Enabled)				
M1A3PE600-1FG484	M1A3PE1500-1FG484	M1A3PE3000-1FG484	M1A3PE3000L-1FG484	
M1A3PE600-1FG484I	M1A3PE1500-1FG484I	M1A3PE3000-1FG484I	M1A3PE3000L-1FG484I	
M1A3PE600-1FGG484	M1A3PE1500-1FGG484	M1A3PE3000-1FGG484	M1A3PE3000L-1FG484M	
M1A3PE600-1FGG484I	M1A3PE1500-1FGG484I	M1A3PE3000-1FGG484I	M1A3PE3000L-1FGG484	
M1A3PE600-2FG484	M1A3PE1500-2FG484	M1A3PE3000-2FG484	M1A3PE3000L-1FGG484I	
M1A3PE600-2FG484I	M1A3PE1500-2FG484I	M1A3PE3000-2FG484I	M1A3PE3000L-1FGG484M	
M1A3PE600-2FGG484	M1A3PE1500-2FGG484	M1A3PE3000-2FGG484	M1A3PE3000L-FG484	
M1A3PE600-2FGG484I	M1A3PE1500-2FGG484I	M1A3PE3000-2FGG484I	M1A3PE3000L-FG484I	
M1A3PE600-FG484	M1A3PE1500-FG484	M1A3PE3000-FG484	M1A3PE3000L-FG484M	
M1A3PE600-FG484I	M1A3PE1500-FG484I	M1A3PE3000-FG484I	M1A3PE3000L-FGG484	
M1A3PE600-FGG484	M1A3PE1500-FGG484	M1A3PE3000-FGG484	M1A3PE3000L-FGG484I	
M1A3PE600-FGG484I	M1A3PE1500-FGG484I	M1A3PE3000-FGG484I	M1A3PE3000L-FGG484M	

List of Affected Devices in ProASIC3 Family (ARM M7 Enabled)				
M7A3P400-1FG484	M7A3P400-FG484I	M7A3P600-2FGG484	M7A3P1000-1FGG484I	
M7A3P400-1FG484I	M7A3P400-FGG484	M7A3P600-2FGG484I	M7A3P1000-2FG484	
M7A3P400-1FGG484	M7A3P400-FGG484I	M7A3P600-FG484	M7A3P1000-2FG484I	
M7A3P400-1FGG484I	M7A3P600-1FG484	M7A3P600-FG484I	M7A3P1000-2FGG484	
M7A3P400-2FG484	M7A3P600-1FG484I	M7A3P600-FGG484	M7A3P1000-2FGG484I	
M7A3P400-2FG484I	M7A3P600-1FGG484	M7A3P600-FGG484I	M7A3P1000-FG484	
M7A3P400-2FGG484	M7A3P600-1FGG484I	M7A3P1000-1FG484	M7A3P1000-FG484I	
M7A3P400-2FGG484I	M7A3P600-2FG484	M7A3P1000-1FG484I	M7A3P1000-FGG484	
M7A3P400-FG484	M7A3P600-2FG484I	M7A3P1000-1FGG484	M7A3P1000-FGG484I	

List of Affected Devices in ProASIC3E Family (ARM M7 Enabled)			
M7A3PE600-1FG484	M7A3PE600-FG484I	M7A3PE1500-2FGG484	M7A3PE3000-1FGG484I
M7A3PE600-1FG484I	M7A3PE600-FGG484	M7A3PE1500-2FGG484I	M7A3PE3000-2FG484
M7A3PE600-1FGG484	M7A3PE600-FGG484I	M7A3PE1500-FG484	M7A3PE3000-2FG484I
M7A3PE600-1FGG484I	M7A3PE1500-1FG484	M7A3PE1500-FG484I	M7A3PE3000-2FGG484



M7A3PE600-2FG484	M7A3PE1500-1FG484I	M7A3PE1500-FGG484	M7A3PE3000-2FGG484I
M7A3PE600-2FG484I	M7A3PE1500-1FGG484	M7A3PE1500-FGG484I	M7A3PE3000-FG484
M7A3PE600-2FGG484	M7A3PE1500-1FGG484I	M7A3PE3000-1FG484	M7A3PE3000-FG484I
M7A3PE600-2FGG484I	M7A3PE1500-2FG484	M7A3PE3000-1FG484I	M7A3PE3000-FGG484
M7A3PE600-FG484	M7A3PE1500-2FG484I	M7A3PE3000-1FGG484	M7A3PE3000-FGG484I

List of Affected Devices in IGLOO Family				
AGL400V2-FG484	AGL600-FG484	AGL600V5-FG484	AGL1000V2-FG484	
AGL400V2-FG484I	AGL600-FG484I	AGL600V5-FG484I	AGL1000V2-FG484I	
AGL400V2-FGG484	AGL600-FGG484	AGL600V5-FGG484	AGL1000V2-FGG484	
AGL400V2-FGG484I	AGL600-FGG484I	AGL600V5-FGG484I	AGL1000V2-FGG484I	
AGL400V5-FG484	AGL600V2-FG484	AGL1000-FG484	AGL1000V5-FG484	
AGL400V5-FG484I	AGL600V2-FG484I	AGL1000-FG484I	AGL1000V5-FG484I	
AGL400V5-FGG484	AGL600V2-FGG484	AGL1000-FGG484	AGL1000V5-FGG484	
AGL400V5-FGG484I	AGL600V2-FGG484I	AGL1000-FGG484I	AGL1000V5-FGG484I	

List of Affected Devices in IGLOOE Family				
AGLE600-FG484	AGLE600V2-FGG484	AGLE3000-FG484	AGLE3000V2-FGG484	
AGLE600-FG484I	AGLE600V2-FGG484I	AGLE3000-FG484I	AGLE3000V2-FGG484I	
AGLE600-FGG484	AGLE600V5-FG484	AGLE3000-FGG484	AGLE3000V5-FG484	
AGLE600-FGG484I	AGLE600V5-FG484I	AGLE3000-FGG484I	AGLE3000V5-FG484I	
AGLE600V2-FG484	AGLE600V5-FGG484	AGLE3000V2-FG484	AGLE3000V5-FGG484	
AGLE600V2-FG484I	AGLE600V5-FGG484I	AGLE3000V2-FG484I	AGLE3000V5-FGG484I	

List of Affected Devices in IGLOO Family (ARM M1 Enabled)				
M1AGL400V2-FG484	M1AGL400V5-FGG484	M1AGL600V5-FG484	M1AGL1000V2-FGG484	
M1AGL400V2-FG484I	M1AGL400V5-FGG484I	M1AGL600V5-FG484I	M1AGL1000V2-FGG484I	
M1AGL400V2-FGG484	M1AGL600V2-FG484	M1AGL600V5-FGG484	M1AGL1000V5-FG484	
M1AGL400V2-FGG484I	M1AGL600V2-FG484I	M1AGL600V5-FGG484I	M1AGL1000V5-FG484I	
M1AGL400V5-FG484	M1AGL600V2-FGG484	M1AGL1000V2-FG484	M1AGL1000V5-FGG484	
M1AGL400V5-FG484I	M1AGL600V2-FGG484I	M1AGL1000V2-FG484I	M1AGL1000V5-FGG484I	

List of Affected Devices in IGLOOE Family (ARM M1 Enabled)				
M1AGLE3000V2-FG484	M1AGLE3000V2-FGG484	M1AGLE3000V5-FG484	M1AGLE3000V5-FGG484	
M1AGLE3000V2-FG484I	M1AGLE3000V2-FGG484I	M1AGLE3000V5-FG484I	M1AGLE3000V5-FGG484I	





Microsemi Corporate Headquarters

One Enterprise, Aliso Viejo, CA 92656 USA Within the USA: +1 (800) 713-4113 Outside the USA: +1 (949) 380-6100 Fax: +1 (949) 215-4996 Email: sales.support@microsemi.com

© 2017 Microsemi Corporation. All rights reserved. Microsemi and the Microsemi logo are trademarks of Microsemi Corporation. All other trademarks and service marks are the property of their respective owners.

Microsemi makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does Microsemi assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by Microsemi have been subject to limited testing and shound not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by Microsemi. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by Microsemi hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. Microsemi does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to Microsemi, and Microsemi reserves the right to make any changes to the information in this document or to any products and services at any time without notice.

Microsemi Corporation (Nasdaq: MSCC) offers a comprehensive portfolio of semiconductor and system solutions for aerospace & defense, communications, data center and industrial markets. Products include high-performance and radiation-hardened analog mixed-signal integrated circuits, FPGAs, SoCs and ASICs; power management products; timing and synchronization devices and precise time solutions, setting the world's standard for time; voice processing devices; RF solutions; discrete components; enterprise storage and communication solutions; security technologies and scalable anti-tamper products; Ethernet solutions; Power-over-Ethernet ICs and midspans; as well as custom design capabilities and services. Microsemi is headquartered in Aliso Viejo, California, and has approximately 4,800 employees globally. Learn more at www.microsemi.com.