

ome Intel® Processors	3rd Generation Intel® Core™ i5 Processors	Intel® Core™ i5-3500 Desktop Processor Series	i5-3550S			
Intel® Core™ i5-3 (6M Cache, up to						
SPECIFICATIONS	Specifications		COMPARE PRODUCTS			
All	Essentials		Add to Compare			
Essentials	Status	Launched	Compare Now (0)			
Memory Specifications	Launch Date	Q2'12	••••••••••••(•)			
Graphics Specifications Expansion Options	Processor Number	i5-3550S				
Package Specifications	# of Cores	4				
Advanced Technologies	# of Threads	4				
COMPATIBLE PRODUCTS		3 GHz				
	Clock Speed		Matter East a day to a			
BLOCK DIAGRAMS	Max Turbo Frequency	3.7 GHz	<ul> <li>Visit the Embedded Design Center &gt;</li> </ul>			
ORDERING / SSPECS / STEPPINGS	Intel® Smart Cache	6 MB				
	Bus/Core Ratio	30				
	DMI	5 GT/s	QUICK LINKS			
	Instruction Set	64-bit				
	Instruction Set Extensions	SSE4.1/4.2, AVX	<ul> <li>Products formerly Ivy Bridg</li> <li>Download Datasheet</li> </ul>			
	Embedded Options Available	🔎 Yes	Search Distributors			
	Lithography	22 nm				
	Max TDP	65 W				
	Recommended Customer Price	\$205	ADDITIONAL INFORMATION			
	Memory Specifications	Memory Specifications				
	Max Memory Size (dependent on memo	PCN/MDDS INFORMATION				
	Memory Types	ry type) 32 GB DDR3-1333/1600	SR0P3 919960: PCN   MDDS			
	# of Memory Channels	2				
	Max Memory Bandwidth	25.6 GB/s				
	ECC Memory Supported	🚺 No				
	Graphics Specifications					
	Processor Graphics	Intel® HD Graphics 2500				
	Graphics Base Frequency	650 MHz				
	Graphics Max Dynamic Frequency	1.15 GHz				
	Intel® Quick Sync Video	Yes				
	Intel® InTru™ 3D Technology	Yes				
	Intel® Insider™	Yes				
	Intel® Wireless Display	Yes				
	Intel® Flexible Display Interface (Intel® F					
	Intel® Clear Video HD Technology	Yes				

PCI Express Revision	3.0
# of PCI Express Ports	1
Package Specifications	
Max CPU Configuration	1
Package Size	37.5mm x 37.5mm
Sockets Supported	FCLGA1155
Low Halogen Options Available	See MDDS
Advanced Technologies	
Intel® Turbo Boost Technology	2.0
Intel® vPro Technology	Yes
Intel® Hyper-Threading Technology	🔎 No
Intel® Virtualization Technology (VT-x)	🔎 Yes
Intel® Virtualization Technology for Directed I/O (VT-d)	🔎 Yes
Intel® Trusted Execution Technology	🔎 Yes
AES New Instructions	🔎 Yes
Intel® 64	🔎 Yes
Intel® Anti-Theft Technology	Yes
Idle States	Yes
Enhanced Intel SpeedStep® Technology	🔎 Yes
Thermal Monitoring Technologies	Yes
Intel® Fast Memory Access	Yes
Intel® Flex Memory Access	Yes
Execute Disable Bit	Yes

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

"Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com /products/processor\_number for details.

Hyper-Threading Technology (HT Technology) requires a computer system with an Intel® processor supporting HT Technology and an HT Technology enabled chipset, BIOS and operating system. Performance will vary depending on the specific hardware and software you use. See www.intel.com/products/ht/hyperthreading\_more.htm for more information including details on which processors support HT Technology.

64-bit computing on Intel® architecture requires a computer system with a processor, chipset, BIOS, operating system, device drivers and applications enabled for Intel® 64 architecture. Processors will not operate (including 32-bit operation) without an Intel 64 architecture-enabled BIOS. Performance will vary depending on your hardware and software configurations. Consult with your system vendor for more information.

Max Turbo Frequency refers to the maximum single-core frequency that can be achieved with Intel® Turbo Boost Technology, which requires a PC with a processor with Intel Turbo Boost Technology capability. Intel Turbo Boost Technology performance varies depending on hardware, software, and overall system configuration. Check with your PC manufacturer on whether your system delivers Intel Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

Enabling Execute Disable Bit functionality requires a PC with a processor with Execute Disable Bit capability and a supporting operating system. Check with your PC manufacturer on whether your system delivers Execute Disable Bit functionality.

Intel® Virtualization Technology requires a computer system with a processor, chipset, BIOS, virtual machine monitor (VMM) and for some uses, certain platform software, enabled for it. Functionality, performance or other benefit will vary depending on hardware and software configurations. Intel Virtualization Technology-enabled VMM applications are currently in development.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or

compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

\*Trademarks

©Intel Corporation



Compare	Queue (0)	Send Feedb	ack		Engli	ish		Тур	e Here to S	Search Products	
lome	Intel® Processors	3rd Generation Intel®	Core™ i	i5 Processors	s Intel® Core™	i5-3500 Desktop	Proces	sor Series	s i5-35	50S	
(6M	® Core™ i5-3 Cache, up to ⊓			EC INFORM	ATION						
COMPA	ATIBLE PRODUCTS	Ordering and Spec Information Intel® Core™ i5-3550S Processor (6M Cache, up to 3.70 GHz) FC-LGA12C, Tray									
BLOCK	DIAGRAMS	Intel® Cor Socket	€ 115-3 Step	3550S Pro Step TDP	Cessor (6WI Caci Ordering Code	ne, up to 3./( Spec Code	J GHZ VT-x	,	CCATS	US HTS	RCP
		Socket	oreh	otep i Dr	ordening code	opec code	¥ 1-A	LOON	COAIG	001110	NOF

All

Ordering / sSpecs / Steppings

**Retired and Discontinued** 

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

"Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com /products/processor\_number for details.

Hyper-Threading Technology (HT Technology) requires a computer system with an Intel® processor supporting HT Technology and an HT Technology enabled chipset, BIOS and operating system. Performance will vary depending on the specific hardware and software you use. See www.intel.com/products/ht/hyperthreading\_more.htm for more information including details on which processors support HT Technology.

64-bit computing on Intel® architecture requires a computer system with a processor, chipset, BIOS, operating system, device drivers and applications enabled for Intel® 64 architecture. Processors will not operate (including 32-bit operation) without an Intel 64 architecture-enabled BIOS. Performance will vary depending on your hardware and software configurations. Consult with your system vendor for more information.

Max Turbo Frequency refers to the maximum single-core frequency that can be achieved with Intel® Turbo Boost Technology, which requires a PC with a processor with Intel Turbo Boost Technology capability. Intel Turbo Boost Technology performance varies depending on hardware, software, and overall system configuration. Check with your PC manufacturer on whether your system delivers Intel Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

Enabling Execute Disable Bit functionality requires a PC with a processor with Execute Disable Bit capability and a supporting operating system. Check with your PC manufacturer on whether your system delivers Execute Disable Bit functionality.

Intel® Virtualization Technology requires a computer system with a processor, chipset, BIOS, virtual machine monitor (VMM) and for some uses, certain platform software, enabled for it. Functionality, performance or other benefit will vary depending on hardware and software configurations. Intel Virtualization Technology-enabled VMM applications are currently in development.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

\*Trademarks

©Intel Corporation