

# **Product End-of-Life Notification Effective Immediately**

This product end-of-life notice does not affect our current -H3 or -H4 models

MultiModem<sup>®</sup> rCell Intelligent HSDPA Wireless Router MultiModem<sup>®</sup> iCell Intelligent HSDPA Cellular Modem

November 22, 2011

### I. Overview:

The status of the MultiModem® rCell Intelligent HSDPA Wireless Routers (-H models) and the MultiModem® iCell Intelligent HSDPA cellular modems has changed from **Near-End-of-Life** to **End-of-Life**. Customers should begin placing orders for the MultiModem rCell and MultiModem iCell HSPA models.

Multi-Tech will continue to support the installed base of MultiModem rCell and MultiModem iCell HSDPA devices through the standard warranty period and extended warranty period.

Con	Contents:		
I.	Overview		
II.	Part Numbers		
III.	Key Dates		
IV.	Stock Rotation		
V.	Warranty and Support		
VI.	Comparative Analysis		
VII.	Suggested Action Plan		
VIII.	Additional Information		
IX.	Cross Reference		

## **II. Part Numbers Impacted:**

Description
Intelligent HSDPA Router – Router Only
Intelligent HSDPA Router – North America Bundle
Intelligent HSDPA Router – Europe Bundle
Intelligent HSDPA Router – Great Britain/Ireland Bundle
Intelligent HSDPA Router – Australia/New Zealand Bundle
Intelligent HSDPA Modem – Modem Only
Intelligent HSDPA Modem – North America Bundle
Intelligent HSDPA Modem – Europe Bundle
Intelligent HSDPA Modem – Great Britain/Ireland Bundle
Intelligent HSDPA Modem – Australia/New Zealand Bundle

PEOL 112211-01 Page 1 of 8



#### III. Key Dates:

Near-End-Of-Life Date: February 2, 2011 End-Of-Life Date: November 22, 2011

#### IV. Stock Rotation:

Stock rotations will be accepted. All claims for products on this notice must be returned through standard stock rotation terms within sixty (60) days of this product end-of-life announcement. Returns will not be accepted beyond the sixty (60) day allowance.

# V. Warranty and Support:

Multi-Tech Systems will provide technical support and repair or exchange of the products listed in this announcement through the warranty period of the installed device. However, no firmware/software updates or maintenance releases will take place post EOL/Discontinued date.

# VI. Comparative Analysis:

#### MultiModem rCell:

Frequency Band  85  850  Packet Data  Download HSI  Upload HSI  Circuit-Switched Data GS  Short Message Services - SMS	Models (-H Models)  UMTS/HSDPA  50/1900/2100 MHz  GSM/GPRS/EDGE  900/1800/1900 MHz  DPA: Up to 3.6 Mbps	HSPA Models (-H4 Models)  UMTS/HSPA 850/1900/2100 MHz  GSM/GPRS/EDGE 850/900/1800/1900 MHz  HSDPA up to 7.2 Mbps
Packet Data  Download HSI  Upload HSI  Circuit-Switched Data GS  Short Message Services - SMS	0/1900/2100 MHz GSM/GPRS/EDGE 900/1800/1900 MHz	850/1900/2100 MHz GSM/GPRS/EDGE 850/900/1800/1900 MHz
Packet Data  Download HSI  Upload HSI  Circuit-Switched Data GS  Short Message Services - SMS	GSM/GPRS/EDGE 900/1800/1900 MHz	GSM/GPRS/EDGE 850/900/1800/1900 MHz
Packet Data  Download HSI  Upload HSI  Circuit-Switched Data GS  Short Message Services - SMS	900/1800/1900 MHz	850/900/1800/1900 MHz
Packet Data  Download HSI  Upload HSI  Circuit-Switched Data GS  Short Message Services - SMS		
Download HSI  Upload HSI  Circuit-Switched Data GS  Short Message Services - SMS	DPA: Up to 3.6 Mbps	HSDPA up to 7.2 Mbps
Upload HSI  Circuit-Switched Data GS  Short Message Services - SMS	OPA: Up to 3.6 Mbps	HSDPA up to 7.2 Mbps
Circuit-Switched Data GS Short Message Services - SMS		113DI A up to 7.2 Mbps
Circuit-Switched Data GS Short Message Services - SMS		
Short Message Services - SMS	OPA: Up to 384 Kbps	HSUPA up to 5.76 Mbps
Short Message Services - SMS		
	SM: Up to 9600 bps	Up to 14.4 Kbps
	Text & PDU	Text & PDU
	nt-to-Point (MO/MT)	Point-to-Point (MO/MT)
	Cell broadcast	Cell broadcast
Voltage	9V to 32VDC	9V to 32VDC
Physical Description		
Dimensions (W x H x D) 4.	9 x 1.1 x 3.1 inches	7 x 1.24 x 2.93 inches
12.5	cm x 2.7cm x 8.6 cm	17.78 cm x 7.44 cm x 7.44 cm
Weight	0.75 lbs (0.34 Kg)	0.75 lbs (0.34 Kg)
Operating Temperature		-30° to +60° C

PEOL 112211-01 Page 2 of 8



#### MultiModem iCell:

	MultiModem iCell	MultiModem iCell
	HSDPA Models (-H Models)	HSPA Models (-H4 Models)
Frequency Band	UMTS/HSDPA 850/1900/2100 MHz	UMTS/HSPA 850/1900/2100 MHz
	GSM/GPRS/EDGE 850/900/1800/1900 MHz	GSM/GPRS/EDGE 850/900/1800/1900 MHz
Packet Data  Download	HSDPA: Up to 3.6 Mbps	HSDPA up to 7.2 Mbps
Upload	HSDPA: Up to 384 Kbps	HSUPA up to 5.76 Mbps
Circuit-Switched Data	GSM: Up to 9600 bps	Up to 14.4 Kbps
Short Message Services - SMS	Text & PDU Point-to-Point (MO/MT) Cell broadcast	Text & PDU Point-to-Point (MO/MT) Cell broadcast
Voltage	9V to 32VDC	9V to 32VDC
Physical Description Dimensions (W x H x D)	4.9 x 1.1 x 3.1 inches 12.5 cm x 2.7cm x 8.6 cm	4.9 x 1.1 x 3.1 inches 12.5 cm x 2.7cm x 8.6 cm
Weight	0.75 lbs (0.34 Kg)	0.75 lbs (0.34 Kg)
Operating Temperature	-30° to +60° C	-30° to +60° C

# VII. Suggested Action Plan:

To help facilitate the transition from the MultiModem rCell and MultiModem iCell HSDPA models to the HSPA models, we recommend the following actions be taken:

- Forward this announcement to others within your organization who are actively involved in the sales or support of cellular modems and routers
- Ensure that the pricing for the MultiModem rCell and MultiModem iCell HSPA (-H4 models) are loaded in your pricing system.

# **VIII. Additional Information:**

If you have any questions or require additional information on this Product End-of-Life Notification, please contact your Multi-Tech sales representative:

World Headquarters - USA: (763) 785-3500 or (888) 288-5470 — <a href="mailto:sales@multitech.com">sales@multitech.com</a> EMEA Headquarters - United Kingdom: (44) 118 959 7774 — <a href="mailto:sales@multitech.co.uk">sales@multitech.co.uk</a>

#### IX. Device Cross Reference:

PEOL 112211-01 Page 3 of 8



-H Models (End-Of-Life)			-H4 Models (Recommended Replacement)	
Ordering Part Number	UPC	Description	Ordering Part Number	UPC
MTCBA-H-EN2	789407346521	Intelligent HSDPA Router – Router Only	MTCBA-H4-EN2-P1 or MTCBA-H4-EN2-P2*	789407351389 or 789407351426*
MTCBA-H-EN2-NAM	789407346736	Intelligent HSDPA Router – North America Bundle	MTCBA-H4-EN2-P1-NAM or MTCBA-H4-EN2-P2-NAM*	789407351792 or 789407351433*
MTCBA-H-EN2-EU	789407346743	Intelligent HSDPA Router – Europe Bundle	MTCBA-H4-EN2-P1-EU	789407351396
MTCBA-H-EN2-GB/IE	789407346750	Intelligent HSDPA Router – Great Britain/Ireland Bundle	MTCBA-H4-EN2-P1-GB/IE	789407351402
MTCBA-H-EN2-AU/NZ	789407347993	Intelligent HSDPA Router – Australia/New Zealand Bundle	N/A	N/A
MTCMR-H	789407346101	Intelligent HSDPA Modem – Modem Only	MTCMR-H4-P1 or MTCMR-H4-P2*	789407351730 or 789407351921*
MTCMR-H-NAM	789407346781	Intelligent HSDPA Modem – North America Bundle	MTCMR-H4-P1-NAM or MTCMR-H4-P2-NAM*	789407351884 or 789407351938*
MTCMR-H-EU	789407346798	Intelligent HSDPA Modem – Europe Bundle	MTCMR-H4-P1-EU	789407351891
MTCMR-H-GB/IE	789407346804	Intelligent HSDPA Modem – Great Britain/Ireland Bundle	MTCMR-H4-P1-GB/IE	789407351907
MTCMR-H-AU/NZ	789407347528	Intelligent HSDPA Modem – Australia/New Zealand Bundle	N/A	N/A

<sup>\*</sup> For use on AT&T Networks (USA)

PEOL 112211-01 Page 4 of 8



# IX: Extended Warranty + Overnight Replacement Cross Reference:

-H Models (End-Of-Life)		-H4 Models (Recommended Replacement)
Ordering Part Number	Description	Ordering Part Number
EW1-MTCBA-H-EN2	One-year extended warranty (Three-year total)	EW1-MTCBA-H4-EN2-P1 or EW1-MTCBA-H4-EN2-P2*
EW2-MTCBA-H-EN2	Two-year extended warranty (Four-year total)	EW2-MTCBA-H4-EN2-P1 or EW2-MTCBA-H4-EN2-P2*
EW3-MTCBA-H-EN2	Three-year extended warranty (Five-year total)	EW3-MTCBA-H4-EN2-P1 or EW3-MTCBA-H4-EN2-P2*
EN1-MTCBA-H-EN2	One-year extended warranty (three year total) plus three-year overnight replacement	EN1-MTCBA-H4-EN2-P1 or EN1-MTCBA-H4-EN2-P2*
EN2-MTCBA-H-EN2	Two-year extended warranty (four year total) plus four-year overnight replacement	EN2-MTCBA-H4-EN2-P1 or EN2-MTCBA-H4-EN2-P2*
EN3-MTCBA-H-EN2	Three-year extended warranty (five year total) plus five-year overnight replacement	EN3-MTCBA-H4-EN2-P1 or EN3-MTCBA-H4-EN2-P2*
EW1-MTCBA-H-EN2-NAM	One-year extended warranty (Three-year total)	EW1-MTCBA-H4-EN2-P1-NAM or EW1-MTCBA-H4-EN2-P2-NAM*
EW2-MTCBA-H-EN2-NAM	Two-year extended warranty (Four-year total)	EW2-MTCBA-H4-EN2-P1-NAM or EW2-MTCBA-H4-EN2-P2-NAM*
EW3-MTCBA-H-EN2-NAM	Three-year extended warranty (Five-year total)	EW3-MTCBA-H4-EN2-P1-NAM or EW3-MTCBA-H4-EN2-P2-NAM*
EN1-MTCBA-H-EN2-NAM	One-year extended warranty (three year total) plus three-year overnight replacement	EN1-MTCBA-H4-EN2-P1-NAM or EN1-MTCBA-H4-EN2-P2-NAM*
EN2-MTCBA-H-EN2-NAM	Two-year extended warranty (four year total) plus four-year overnight replacement	EN2-MTCBA-H4-EN2-P1-NAM or EN2-MTCBA-H4-EN2-P2-NAM*
EN3-MTCBA-H-EN2-NAM	Three-year extended warranty (five year total) plus five-year overnight replacement	EN3-MTCBA-H4-EN2-P1-NAM or EN3-MTCBA-H4-EN2-P2-NAM*

PEOL 112211-01 Page 5 of 8



-H Models (End-Of-Life)		-H4 Models (Recommended Replacement)	
Ordering Part Number	Description	Ordering Part Number	
EW1-MTCBA-H-EN2-EU	One-year extended warranty (Three-year total)	EW1-MTCBA-H4-EN2-P1-EU	
EW2-MTCBA-H-EN2-EU	Two-year extended warranty (Four-year total)	EW2-MTCBA-H4-EN2-P1-EU	
EW3-MTCBA-H-EN2-EU	Three-year extended warranty (Five-year total)	EW3-MTCBA-H4-EN2-P1-EU	
EW1-MTCBA-H-EN2-GB/IE	One-year extended warranty (Three-year total)	EW1-MTCBA-H4-EN2-P1-GB/IE	
EW2-MTCBA-H-EN2-GB/IE	Two-year extended warranty (Four-year total)	EW2-MTCBA-H4-EN2-P1-GB/IE	
EW3-MTCBA-H-EN2-GB/IE	Three-year extended warranty (Five-year total)	EW3-MTCBA-H4-EN2-P1-GB/IE	
EW1-MTCBA-H-EN2-AU/NZ	One-year extended warranty (Three-year total)	N/A	
EW2-MTCBA-H-EN2-AU/NZ	Two-year extended warranty (Four-year total)	N/A	
EW3-MTCBA-H-EN2-AU/NZ	Three-year extended warranty (Five-year total)	N/A	
EW1-MTCMR-H	One-year extended warranty (Three-year total)	EW1-MTCMR-H4-P1 or EW1-MTCMR-H4-P2*	
EW2-MTCMR-H	Two-year extended warranty (Four-year total)	EW2-MTCMR-H4-P1 or EW2-MTCMR-H4-P2*	
EW3-MTCMR-H	Three-year extended warranty (Five-year total)	warranty  EW3-MTCMR-H4-P1  or  EW3-MTCMR-H4-P2*	

PEOL 112211-01 Page 6 of 8



-H Models (End-Of-Life)		-H4 Models (Recommended Replacement)
Ordering Part Number	Description	Ordering Part Number
EN1-MTCMR-H	One-year extended warranty (three year total) plus three-year overnight replacement	EN1-MTCMR-H4-P1 or EN1-MTCMR-H4-P2*
EN2-MTCMR-H	Two-year extended warranty (four year total) plus four-year overnight replacement	EN2-MTCMR-H4-P1 or EN2-MTCMR-H4-P2*
EN3-MTCMR-H	Three-year extended warranty (five year total) plus five-year overnight replacement	EN3-MTCMR-H4-P1 or EN3-MTCMR-H4-P2*
EW1-MTCMR-H-NAM	One-year extended warranty (Three-year total)	EW1-MTCMR-H4-P1-NAM or EW1-MTCMR-H4-P2-NAM*
EW2-MTCMR-H-NAM	Two-year extended warranty (Four-year total)	EW2-MTCMR-H4-P1-NAM or EW2-MTCMR-H4-P2-NAM*
EW3-MTCMR-H-NAM	Three-year extended warranty (Five-year total)	EW3-MTCMR-H4-P1-NAM or EW3-MTCMR-H4-P2-NAM*
EN1-MTCMR-H-NAM	One-year extended warranty (three year total) plus three-year overnight replacement	EN1-MTCMR-H4-P1-NAM or EN1-MTCMR-H4-P2-NAM*
EN2-MTCMR-H-NAM	Two-year extended warranty (four year total) plus four-year overnight replacement	EN2-MTCMR-H4-P1-NAM or EN2-MTCMR-H4-P2-NAM*
EN3-MTCMR-H-NAM	Three-year extended warranty (five year total) plus five-year overnight replacement	EN3-MTCMR-H4-P1-NAM or EN3-MTCMR-H4-P2-NAM*
EW1-MTCMR-H-EU	One-year extended warranty (Three-year total)	EW1-MTCMR-H4-P1-EU
EW2-MTCMR-H-EU	Two-year extended warranty (Four-year total)	EW2-MTCMR-H4-P1-EU
EW3-MTCMR-H-EU	Three-year extended warranty (Five-year total)	EW3-MTCMR-H4-P1-EU
EW1-MTCMR-H-GB/IE	One-year extended warranty (Three-year total)	EW1-MTCMR-H4-P1-GB/IE

PEOL 112211-01 Page 7 of 8



-H Models (End-Of-Life)		-H4 Models (Recommended Replacement)
Ordering Part Number	Description	Ordering Part Number
EW2-MTCMR-H-GB/IE	Two-year extended warranty (Four-year total)	EW2-MTCMR-H4-P1-GB/IE
EW3-MTCMR-H-GB/IE	Three-year extended warranty (Five-year total)	EW3-MTCMR-H4-P1-GB/IE
EW1-MTCMR-H-AU/NZ	One-year extended warranty (Three-year total)	N/A
EW2MTCMR-H-AU/NZ	Two-year extended warranty (Four-year total)	N/A
EW3-MTCMR-H-AU/NZ	Three-year extended warranty (Five-year total)	N/A

<sup>\*</sup> For use on AT&T Networks (USA)

PEOL 112211-01 Page 8 of 8