

#### 1 Features

- Designed for 2.4 GHz applications: Bluetooth<sup>®</sup>, Wi-Fi<sup>®</sup> (802.11a/b/g/n), ZigBee<sup>®</sup>, etc.
- Antenna with a SMA male connector
- Also available as SMA reverse thread to meet FCC regulations, part 15
- High efficiency
- Supplied in bulk

#### 2 Description

Titanis is intended for use with all 2.4 GHz applications. The antenna is fitted with a SMA male connector and a blade made of flexible material that can be rotated 360 degree.

No external matching network required.

#### **3** Applications

- Development tools
- Test equipment
- Access points, routers, etc
- Printers



## Antennas for Wireless M2M Applications

#### 4 Part number

#### Standard SMA – male: B4844

#### Reverse thread SMA – male: B4844-R

#### 5 General data

Product name	Titanis 2.4 GHz			
Part Number	B4844 (Standard SMA – male)			
Part Nulliger	B4844-R (Reverse thread SMA – male)			
Frequency	2.4 – 2.5 GHz			
Polarization	Linear			
Operating temperature	-40 °C to +85 °C			
Impedance	50 Ω			
Weight	7.1 g			
Antenna type	<sup>1</sup> Swivel external			
Dimensions	20 x 19.5 x 62.5 [mm]			

<sup>1</sup>The blade of the antenna is the only part that swivels. DO NOT twist the plastic housing of the antenna blade. The housing is NOT designed to twist or turn and any attempt to do so will likely result in permanent damage to the antenna and its performance and will not be covered by warranty. Installation and removal of the antenna should only be done by turning the metal SMA connector.

Titanis is not suitable for outdoor use or applications.

## 6 Electrical characteristics

	Typical performance	Conditions			
Peak gain	2.2 dBi				
Average gain	-1.0 dBi				
Average efficiency	80%	Data given for the 2.4 – 2.5 GHz frequency range			
Maximum Return Loss	-13 dB				
Maximum VSWR 1.6:1					

## Antennas for Wireless M2M Applications

#### 7 Electrical performance

#### 7-1 Return Loss







Antennas for Wireless M2M Applications



Patterns show combined polarisations

# Antennas for Wireless M2M Applications

#### Titanis 2.4 GHz Swivel SMA Antenna Part No. B4844 / B4844-R

H <sub>1</sub>						antenova	
	А	В	H1	H2	H3	W1	W2
			Height	Height	Height	Width	Width
	7 ± 0.2	12.5 ± 0.5	62.5 ± 0.5	48.3 ± 0.5	9.5 ± 0.5	20 ± 0.3	19.5 ± 0.3

#### 8 Antenna dimensions

Dimensions in mm

Warning: The blade of the antenna is the only part that swivels. DO NOT twist the plastic housing of the antenna blade. The housing is NOT designed to twist or turn and any attempt to do so will likely result in permanent damage to the antenna and its performance and is not covered by warranty. Installation and removal of the antenna should only be done by turning the metal SMA connector.

#### 9 Hazardous material regulation conformance

The antenna has been tested to conform to RoHS requirements. A certificate of conformance is available from Antenova M2M's website.

# Antennas for Wireless M2M Applications

## 10 Packaging

#### **10-1 Optimal storage conditions**

Temperature	-10°C to 40°C		
Humidity	Less than 75% RH		
Shelf Life	48 Months		
Storage place	Away from corrosive gas and direct sunlight		

## **10-2 Packaging information**

The antennas are delivered in bulk, enclosed in plastic bags.

## 10-3 Bag label information



Dimensions in mm

# Antennas for Wireless M2M Applications

#### Titanis 2.4 GHz Swivel SMA Antenna Part No. B4844 / B4844-R

# antenova® m2m

## www.antenova-m2m.com

#### **Corporate Headquarters**

Antenova Ltd. 2<sup>nd</sup> Floor Titan Court 3 Bishop Square Hatfield AL10 9NA

#### **North America Headquarters**

Antenova Ltd. 100 Brush Creek Road, Suite 103 Santa Rosa California, 95404 USA

#### Asia Headquarters

Antenova Asia Ltd. 4F, No. 324, Sec. 1, Nei-Hu Road Nei-Hu District Taipei 11493 Taiwan, ROC

Tel: +44 1223 810600 Email: sales@antenova-m2m.com Tel: +1 707 890 5202 Email: sales@antenova-m2m.com 
 Tel:
 +886 (0) 2 8797 8630

 Fax:
 +886 (0) 2 8797 6890

 Email:
 sales@antenova-m2m.com

**Copyright<sup>®</sup> Antenova Ltd.** All Rights Reserved. Antenova<sup>®</sup>, Antenova M2M<sup>®</sup>, gigaNOVA<sup>®</sup>, the Antenova product family names, and the Antenova and Antenova M2M logos are trademarks and/or registered trademarks of Antenova Ltd. Any other names and/or trademarks belong to their respective companies.

The materials provided herein are believed to be reliable and correct at the time of print. Antenova does not warrant the accuracy or completeness of the information, text, graphics or other items contained within these information. Antenova further assumes no responsibility for the use of this information, and all such information shall be entirely at the user's risk.



Certificate No: 4598

# Antennas for Wireless M2M Applications

Product Specification Titanis B4844 PS-1.2 Revised March 2016