## 9001SKR2U 30MM PUSH BUTTON HEAD EXTENDED GUARD



Main	
Range of Product	Harmony 9001SK
Product or Component Type	Head for spring return push-button
Device short name	9001SK
Operator profile	Recessed, unmarked
Operator additional information	High guard with set of 7 color caps

### Complementary

Mounting diameter	1.18 in (30 mm)
Shape of signaling unit head	Round
Type of operator	Spring return
Net Weight	0.11 lb(US) (0.05 kg)

### Ordering and shipping details

21429 - 9001 SK,SKY	
CS1	
3389118036871	
1	
1.76 oz (49.895 g)	
Yes	
MX	
	CS1 3389118036871 1 1.76 oz (49.895 g) Yes

### **Packing Units**

Unit Type of Package 1	PCE	
Package 1 Height	2.00 in (5.08 cm)	
Package 1 width	2.30 in (5.842 cm)	
Package 1 Length	2.90 in (7.366 cm)	

### Offer Sustainability


Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	₫Yes	


China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Contractual warranty	
Warranty	18 months

# Product data sheet Dimensions Drawings

# 9001SKR2U

### **Dimensions**






## Product data sheet Mounting and Clearance

# 9001SKR2U

### **Contact Block Mounting Position**

### Top and Rear views



- It is possible to mount up to 3 levels of contacts blocks (maximum of 6 contacts blocks)
- (1) (2) (3) Operator
- Locating notch
- (4) (5) Side 1
- Side 2