

MATERIALS AND FINISHES

BODY BRASS
PLATED GOLD

CENTER CONTACT BRASS
PLATED GOLD

INSULATOR TEFLON





MMCX PLUG
INTERFACE

0.005 ± 0.005
 0.13 ± 0.13


0.603
15.32

0.105
2.67 HEX

RG178 CABLE



CRIMP TUBE



RECOMMENDED CABLE STRIP

RG-178

73415-0974	BODY PLATED NICKEL / PER BAG
73415-0973	GOLD FLASH / PER BAG
73415-0972	P/N 73415-0971, ONE PIECE PER BAG
73415-0971	PER COMMERCIAL REQUIREMENTS, BAG-500 PCS
73415-0970	PER MILITARY REQUIREMENTS, PACKAGING-BULK
PART NO.	PLATING AND PACKAGING

AS-73597-059	ASSEMBLY INSTRUCTIONS
CECC 22 340	INTERFACE
PS-89675-1920	ELECTRO/MECH. PERFORM.
SPECIFICATION	DESCRIPTION

B6	2020/01/21	ADD DOCUMENT NO. OF ASSEMBLY INSTRUCTION ON DRAWING
B5	2018/05/07	1. ADD -0974 PART NO 2. ADD PACKAGE DRAWING
REV	DATE	DESCRIPTION


SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
▽ = 0	DIMENSION UNITS	SCALE	CURRENT REV DESC:
▽ = 0	HYBRID	1:1	EC NO: 630843
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: JSU18 2020/01/21
▽ = 0	ANGULAR TOL	± 2.0°	CHK'D: YCHENG 2020/01/22
▽ = 0	4 PLACES	±	APPR: YCHENG 2020/01/22
▽ = 0	3 PLACES	±	INITIAL REVISION:
▽ = 0	2 PLACES	± 0.25	DRWN: RFC_PLMIMP 2017/12/28
▽ = 0	1 PLACE	±	APPR: JWIENER 2007/01/09
▽ = 0	0 PLACES	±	
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION
▽ = 0			DRAWING
		C-SIZE	SERIES
			73415
DOCUMENT STATUS		P1	RELEASE DATE
2020/01/22		01:34:23	
REV		DATE	DESCRIPTION
B6		2020/01/21	ADD DOCUMENT NO. OF ASSEMBLY INSTRUCTION ON DRAWING
B5		2018/05/07	1. ADD -0974 PART NO 2. ADD PACKAGE DRAWING

molex

MMCX PLUG, STRAIGHT
50 OHMS, FOR RG178 CABLE MMCX-PC

PRODUCT CUSTOMER DRAWING


DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-73415-097	PSD	001	B6
MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
	TS-SCI	1 OF 4	



PRODUCT
 PN-73415-0970
 PN-73415-0973
 PN-73415-0974




500 SETS PER POLY BAG
 POLY BAG PART NO. 89707-0001




4000 SETS PER OUTER CARTON BOX
 PART NO. 96707-0002

SYMBOLS = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
	DIMENSION UNITS	SCALE	CURRENT REV DESC:										
	HYBRID	1:1											
	GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 630843							MMCX PLUG, STRAIGHT 50 OHMS, FOR RG178 CABLE MMCX-PC		
	ANGULAR TOL ± 2.0°			DRWN: JSU18 2020/01/21									
	4 PLACES ±			CHK'D: YCHENG 2020/01/22							PRODUCT CUSTOMER DRAWING		
	3 PLACES ±			APPR: YCHENG 2020/01/22									
	2 PLACES ± 0.25			INITIAL REVISION:							DOCUMENT NUMBER SD-73415-097		
	1 PLACE ±			DRWN: RFC_PLMIMP 2017/12/28									
	0 PLACES ±			APPR: JWIENER 2007/01/09							DOC TYPE DOC PART REVISION PSD 001 B6		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER				CUSTOMER			
				C-SIZE	73415	TS-SCI				2 OF 4			


DOCUMENT STATUS	P1	RELEASE DATE	2020/01/22	01:34:23
-----------------	----	--------------	------------	----------



PRODUCT
PN-73415-0971




500 SETS PER POLY BAG
POLY BAG PART NO. 89707-0007



4000 SETS PER OUTER CARTON BOX
PART NO. 89499-9027


SYMBOLS = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
	DIMENSION UNITS	SCALE	CURRENT REV DESC:											
	HYBRID	1:1												
	GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 630843							MMCX PLUG, STRAIGHT 50 OHMS, FOR RG178 CABLE MMCX-PC			
	ANGULAR TOL ± 2.0°			DRWN: JSU18 2020/01/21										
	4 PLACES ±			CHK'D: YCHENG 2020/01/22										
	3 PLACES ±			APPR: YCHENG 2020/01/22							PRODUCT CUSTOMER DRAWING			
	2 PLACES ± 0.25			INITIAL REVISION:							DOCUMENT NUMBER			
	1 PLACE ±			DRWN: RFC_PLMIMP 2017/12/28							SD-73415-097			
	0 PLACES ±			APPR: JWIENER 2007/01/09							DOC TYPE DOC PART REVISION			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
					C-SIZE		73415		TS-SCI		001 B6		3 OF 4	




PRODUCT
PN-73415-0972



1 SET PER POLY BAG
POLY BAG PART NO. 89707-0317



50 SETS PER POLY BAG
POLY BAG PART NO. 89707-0174



500 SETS PER OUTER CARTON BOX
PART NO. 89499-9027

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
DIMENSION UNITS		SCALE		CURRENT REV DESC:						DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION				
	= 0	HYBRID	1:1	EC NO: 630843 DRWN: JSU18 2020/01/21 CHK'D: YCHENG 2020/01/22 APPR: YCHENG 2020/01/22						molex MMCX PLUG, STRAIGHT 50 OHMS, FOR RG178 CABLE MMCX-PC								
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)																
	= 0	ANGULAR TOL ± 2.0°																
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		INITIAL REVISION:						2017/12/28		2007/01/09		SD-73415-097		PSD	001	B6
	= 0	THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER						
	= 0	C-SIZE		73415		TS-SCI		4 OF 4										

DOCUMENT STATUS	P1	RELEASE DATE	2020/01/22	01:34:23
-----------------	----	--------------	------------	----------