ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® DETERMINED	OSITION DE PC, Bannock n-American c	e claration burn, Illinois. A copyright conver	ll rights reserved u ntions.	inder both									e: if the item is an a arer has engineering			
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					erials and M	ials and Mfg Information				
upplier Information																
ompany name*	Company un	Company unique ID			Unique ID Authority					Respons	Response Date*					
nsemi											2023-06-08					
			Title - Contact			Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Produc	Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative			sentative	e P		Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	m Number Mfr Item Name				Effective Da	ve Date Version Manufacturing Site		nufacturing Site	,	Weight*	UOM	Unit Type			
	MICRC SMT-T	IICROFC-60035- C-Series 6mm 3		35u MLP		2023-06-08		Т		TH2		98.45988	mg	Each		
Ianufacturing Proccess Informa	tion						·				·					
Terminal Plating / Grid Array M	aterial	Terminal Base Alloy		-STD-020 MSL Rating		Peak Process Body Te		Body Tempe	erature Max Time at Peak		ak Temperat	Temperature Number of Reflow Cycles		/cles		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 4		4		260		С		30 sec		ds 3				
omments																
or more information regarding material	composition	n please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	s Material Weight Unit of Measure Level Substance		Substance	CAS	Exempt	Weight	Unit of Measure	
Die	18.19898	mg	Supplier	Silicon (Si)	7440-21-3		18.199	mg
Die Attach Epoxy	1.6393	mg		Epoxy resin	proprietary data		0.4918	mg
			Supplier	Diethylene glycol monoethyl ether acetate	112-15-2		0.5738	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.5738	mg
Lead Frame	57.99517	mg	Supplier	Zinc (Zn)	7440-66-6		0.0696	mg
			Supplier	Iron (Fe)	7439-89-6		1.3629	mg
			Supplier	Copper (Cu)	7440-50-8		56.5453	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0174	mg
Mold Compound	19.7925	mg		2,6-Di-tert-buty 1-4-Methy 1 phenol	proprietary data		0.099	mg
			Supplier	Tris (2,30Epoxypropyl) Isocyanurate	Proprietary Data		2.573	mg
			Supplier	1,2,3,6-Tetrahydrophthalic acid anhydride	85-43-8		5.4429	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		11.6776	mg
Plating	0.81003	mg	Supplier	Silver (Ag)	7440-22-4		0.0017	mg
			Supplier	Palladium (Pd)	7440-05-3		0.5332	mg
			В	Nickel (Ni)	7440-02-0		0.2735	mg
			Supplier	Gold (Au)	7440-57-5		0.0017	mg
Wire Bond - Au	0.0239	mg	Supplier	Gold (Au)	7440-57-5		0.0239	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).