



About IDT

Products

Applications

Support

Document Search | Package Search | Parametric Search | Cross Reference Search | Green & RoHS | Calculators | Thermal Data | Reliability & Quality | Military

myIDT

Home > Products > Clock / Timing Devices > PC-Notebook-Server Clocks > Clock Synthesizer by Chipset Vendor > Desktop Chipsets > 954148 > 954148AGLFT

You may also like.. Add to myIDT [?]

> Time is money

### 954148AGLFT

Category: **Desktop Chipsets** 

Generic Part: 954148 Market Group: PC CLOCK Description: PC MAIN CLOCK

General Description ICS954148 follows the Intel CK410-compliant clock specification. This clock synthesizer provides a single chip solution for next generation P4 Intel processors and Intel chipsets. ICS954148 is driven with a 14.318MHz

### Output Features:

- 2 0.7V current-mode differential CPU pairs • 1 - 0.7V current mode differential SATA pair
- 1 0.7V current mode differential DOT 96/100MHz pair
- 6 PCI (33MHz)
- 1 USB, 48MHz
- 2 REF, 14.318MHz
- 7 PCI-Express 0.7V current differential pairs

### **Parameters**

Package	TSSOP 56 (PAG56)	
Voltage	3.3 V	
Package	TSSOP 56	
Speed	NA	
Temperature	С	
Status	Active	
Sam ple	No	
Minimum Order Quantity	2000	
Factory Order Increment	2000	

## **Distributor Inventory**

No Pricing information is available from our Distributors at this time.

# **Documents**

Туре	Title	Size	Revision Date
Misc	PC Clocks Contact Info	61 KB	05/29/2007

### **Package**

Description	TSSOP 6.10 MM	
Class	PLASTIC	
Moisture Sensitivity Level (MSL)	1	
Category	Green	
Moisture Exposure Floor Life	Unlimited @ <30°C/85% RH	
Peak Reflow Temprature	260°C	
Rebake Conditions	N/A	
Length	14.0	
Mark	G	
Width	6.1	
Pitch	0.5	
Thickness	1.0	
Status	Active	