

TECHNICAL DATA SHEET Description: 4G 698-2700MHz / WiFi / GNSS Roof mount antenna PART NUMBER: GNSSDM700/2500FFS



Features:

- 3-Feeds (4G, WiFi, GNSS)
- GNSS Active Antenna
 - LNA gain 30dB
 - Pre and post LNA filtering
- Direct mount
- SMA Male for GNSS and FME Female for 4G and WiFi
- Cable 17 feet
- RoHS compliant
 Applications:
- 4G LTE 698-2700MHz
- WiFi band 2.4GHz
- GNSS (Beidou, GPS, Galileo, Glonass)
- Vehicular mounting
- Asset Tracking, Navigation, Fleet Management
- Mobile and Fixed broadband

All dimensions are in mm / inches

Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





Series: Sharkfin Multiband

ELECTRICAL SPECIFIC	CATIONS
	710-2170/2300-2700 MH:
Frequency(WiFi cable)	2400-2485 MHz
r requency(with cable)	2400-2400 10112
	1561.098±2.046/
Frequency(GNSS cable)	1575.42±1.023/ MHz
	1602.5625±4
Nominal Impedance	50 Ω
VSWR (LTE/WiFi)*	2.5:1 Max
VSWR (GNSS)*	2:1 Max
Peak Gain (LTE,698-960MHz,Typical)**	3.0 dBi
Peak Gain (LTE,1710-2700MHz,Typical)**	4.5 dBi
Peak Gain (WiFi, 2400-2500MHz,Typical)**	4.1 dBi
Efficiency (LTE,698-960MHz,Typical)**	83 %
Efficiency (LTE,1710-2700MHz,Typical)**	82 %
Efficiency (WiFi,2400-2500MHz,Typical)**	82 %
HPBW / Horizontal Plane (LTE/WiFi)**	Omni
HPBW / Vertical Plane (LTE, 698-960MHz, Typical))** 52°
HPBW / Vertical Plane (LTE,1710-2700MHz, Typica	al)** 35°
HPBW / Vertical Plane (WiFi, 2400-2485MHz, Typic	cal)** 32°
Polarization (LTE/WiFi)	Vertical
Polarization (GNSS)	RHCP
Power Withstanding (LTE, 698-960MHz)	100 W
Power Withstanding (LTE, 1710-2700MHz)	20 W
Power Withstanding (WiFi, 2400-2485MHz)	20 W

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



2



Series: Sharkfin Multiband

ELECTRICAL SPECIFICATIONS

RHCP Peak Gain (Radiating element, Typical)***	1	dBic
Gain (LNA gain)	30	$dB\pm 2\;dB$
Out of Band Rejection		
698 MHz	>70	dB
960MHz	>65	dB
1710MHz	>60	dB
2170MHz	>65	dB
2400MHz	>65	dB
2700MHz	>65	dB
Noise Figure	<2.4	dB
Operating Voltage	3.3-5	Vdc±0.5V
Current Consumption	9	$mA\pm 2 mA$

* Tested with 5.18m cable and with 500mm ground plane

**Tested with 200mm cable and with 500mm ground plane

***Tested with 70X70mm ground plane

Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3



Series: Sharkfin Multiband

MECHANICAL SPECIFICATIONS

Overall Length Weight Antenna Color / Material Connector type Cable type Cable length 3.5 H x Ø4.26 /88.3 x Ø108[in/mm] 470g Black LTE/WLAN :FME female GNSS :SMA male LTE/WLAN :RG58 GNSS :RG174 17' / 5.18m

ENVIRONMENTAL SPECIFICATIONS						
Operating Temperature	-40/+58 ° C					
Storage Temperature	-40/+58 ° C					
Ingress Protection	IP65					
Wind-loading	100mph					
RoHS Compliant	Yes					
OTHER SPECIFICATIONS						
Manuatia a Llala Fia (as as l	Ø 70 / 40 0					

Mounting Hole [in/mm]

Ø.76 / 19.3

Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Series: Sharkfin Multiband

MECHANICAL DRAWING



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



5



Series: Sharkfin Multiband

MECHANICAL DRAWING



PART NO.	CABLE LENGTH	GNSS CABLE	GSM CABLE	WIFI CABLE
GNSSDM700/2500FFS	17.0 FT	SMA	FME	FME

Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6



TECHNICAL DATA SHEET Description: 4G 698-2700MHz / WiFi / GNSS Roof mount antenna PART NUMBER: GNSSDM700/2500FFS

Test Setup

* VSWR is tested with 5.18m cable and with 500mm ground plane
**Radiation performance is tested with 200mm cable and with 500mm ground plane

***GNSS module is tested with 70X70mm ground plane

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7



TECHNICAL DATA SHEET Description: 4G 698-2700MHz / WiFi / GNSS Roof mount antenna PART NUMBER: GNSSDM700/2500FFS

CHARTS



VSWR of LTE

VSWR of WiFi



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8



TECHNICAL DATA SHEET Description: 4G 698-2700MHz / WiFi / GNSS Roof mount antenna PART NUMBER: GNSSDM700/2500FFS

CHARTS



Radiation Efficiency of LTE

Radiation Efficiency of WiFi



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

9



TECHNICAL DATA SHEET Description: 4G 698-2700MHz / WiFi / GNSS Roof mount antenna PART NUMBER: GNSSDM700/2500FFS

CHARTS



Peak Gain of LTE





Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

COMPLIANT 10



Series: Sharkfin Multiband

CHARTS

LTE antenna X-Y plane radiation pattern at LTE low band



LTE antenna Z-X plane radiation pattern at LTE low band



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 11



Series: Sharkfin Multiband

CHARTS

LTE antenna Y-Z plane radiation pattern at LTE low band



LTE antenna X-Y plane radiation pattern at LTE high band



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Series: Sharkfin Multiband

CHARTS

LTE antenna Z-X plane radiation pattern at LTE high band



LTE antenna Y-Z plane radiation pattern at LTE high band



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

13

RoHS



Series: Sharkfin Multiband

CHARTS

WiFi antenna X-Y plane radiation pattern at WiFi band



WiFi antenna Z-X plane radiation pattern at WiFi band



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 14



Series: Sharkfin Multiband

CHARTS

WiFi antenna Y-Z plane radiation pattern at WiFi low band



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Series: Sharkfin Multiband

CHARTS



Radiation Pattern (70mm x 70mm ground plane) GPS & Galileo



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

16



Series: Sharkfin Multiband

CHARTS

Radiation Pattern (70mm x 70mm ground plane) GLONASS



Radiation Pattern (70mm x 70mm ground plane) BD2



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



17



TECHNICAL DATA SHEET Description: 4G 698-2700MHz / WiFi / GNSS Roof mount antenna PART NUMBER: GNSSDM700/2500FFS

PACKAGING

12pcs antennas per package box 12pcs foam bags per package box 4pcs cardboards per package box 3pcs width dividers per package box 6pcs length dividers per package box Package box: 400mm*300mm*30mm



18